

Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION SIGNATURE COVER FORM

A copy of each Annual Compliance Certification shall be submitted to EPA, Region 9, at the following address:


Mr. Gerardo Rios, Chief
Permits Office (AIR-3)
Office of Air Division
EPA Region 9
75 Hawthorne Street
San Francisco, CA 94105

Confidentiality

All information in a Part 70 permit compliance certification is public information. The Part 70 permit is also public information.

Certification by Responsible Official

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in this compliance certification are true, accurate, and complete.

Signature and Title of Responsible Official:  Title: Robert B. Kimmach III, U.S. Navy Commanding Officer, Naval Base Ventura County	Date: <i>07MAR22</i>
---	-----------------------------

Time Period Covered by Compliance Certification <u>01 / 01 / 21</u> (MM/DD/YY) to <u>12 / 31 / 21</u> (MM/DD/YY)

**COMPLIANCE CERTIFICATION
JANUARY 1, 2021 - DECEMBER 31, 2021**

**TITLE V FEDERAL OPERATING PERMIT
PART 70 PERMIT NO. 01006**

**NAVAL BASE VENTURA COUNTY
PORT HUENEME**



1	SPECIFIC APPLICABLE REQUIREMENTS	
2	PERMIT SPECIFIC CONDITIONS	
3	GENERAL APPLICABLE REQUIREMENTS	
4	SHORT-TERM ACTIVITIES	
5	GENERAL PERMIT CONDITIONS	
6	MISCELLANEOUS FEDERAL PROGRAM CONDITIONS	
7	APPENDIX – A SUPPORTING DOCUMENTATION FOR USE OF COMPLIANT FUEL	
8	APPENDIX – B BOILER TUNE-UP/SCREENING SUMMARY FORMS	
9	APPENDIX– C FORMAL SURVEYS/ENGINES HOURS OF OPERATION RECORDS	
10	APPENDIX – D RICE NESHAP MAINTENANCE RECORDS	
11	APPENDIX– E GAS STATION VERIFICATION TESTING RESULTS	
12	APPENDIX– F ANNUAL THROUGHPUT/CONSUMPTION REPORT	



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition No. <u>1</u></p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: General requirements of Rule 70, including requirements for pressure/vacuum relief valves at vent pipes, requirements for bulk transfers, and good operating practices as applicable to the Gasoline Dispensing Facility (GDF) at Building 5307</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition No. <u>2</u></p>	<p>D. Frequency of monitoring: Daily inspection of Phase I spill containment devices and annual inspection for the rest of requirements</p>
<p>B. Description: Phase I vapor recovery requirements as applicable to the GDF at Building 5307</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition Nos. 3.1 through 3.7</p>	<p>D. Frequency of monitoring: Monthly for appropriate hose drape and good working order, and annually for the rest of the requirements</p>
<p>B. Description: Phase II vapor recovery requirements (Conditions 3.1 through 3.7) as applicable to the GDF at Building 5307</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition Nos. 3.8 through 3.10</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Phase II vapor recovery requirements (Conditions 3.8 through 3.10) specific to the GDF at Building 5307</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition 3.11</p>	<p>D. Frequency of monitoring: Daily</p>
<p>B. Description: Requirement to perform daily inspection of hanging hardware at Building 5307 GDF</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition No. 4</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that Phase II vapor recovery system at the Building 5307 GDF be maintained and operated with none of the defects listed in California Code of Regulations Section 94006, Subchapter 8, Chapter 1, Part III, of Title 17, adopted 11/12/02 (Rule 70E.2) (4.1), and that defective equipment be tagged "Out of Order" (4.2)</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition No. 5</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that proper signs be posted at Building 5307 GDF as listed in Conditions 5.1 through 5.5</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition No. 6</p>	<p>D. Frequency of monitoring: Annual</p>
<p>B. Description: Requirement to annually perform a static pressure performance test (TP-201.3b) and a dynamic Pressure Performance (TP-201.4) at the Building 5307 GDF</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition No. 7.1</p>	<p>D. Frequency of monitoring: periodic</p>
<p>B. Description: Requirement for the Building 5307 GDF to keep records of tests performed on the vapor recovery systems</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition No. 7.2</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement for the GDF at Building 5307 to keep records of all maintenance performed on the vapor recovery systems.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition Nos. 7.3</p>	<p>D. Frequency of monitoring: Daily</p>
<p>B. Description: Requirement for the GDF at Building 5307 to keep records of daily hanging hardware inspections on phase II vapor recovery systems</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The tank suffered structural damage and has been out of service since 4, January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006- GOV-491, Condition No. 8</p>	<p>D. Frequency of monitoring: As Needed</p>
<p>B. Description: Requirement to submit an application prior to any major modification to the GDF at Building 5307 (8.1) and to pass all required vapor recovery tests within 45 days of modification (8.2)</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: No major modification occurred at Building 5307 GDF during this reporting period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006-E85-491, Condition No. 1</p>	<p>D. Frequency of monitoring:</p> <p>Periodic</p>
<p>B. Description:</p> <p>General requirements of Rule 70, including requirements for pressure/vacuum relief valves at vent pipes, requirements for bulk transfers, and good operating practices as applicable to the E-85 fueling facility at Building 5307</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>All vent pipes are equipped with the appropriate pressure/vacuum relief valve. Proper operation of valves is verified annually at the time of the static pressure performance tests (1.1). All bulk transfers utilized a properly operating California Air Resources Board (CARB)-certified vapor recovery system (1.2). Good operating practices are ensured by periodic monitoring by the Naval Base Ventura County (NBVC) field operations team (1.3).</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006-E85-491, Condition No. 2.1</p>	<p>D. Frequency of monitoring:</p> <p>Annual</p>
<p>B. Description:</p> <p>Phase I vapor recovery requirement for a permanently installed submerged fill pipe which extends to within six inches of the tank bottom as applicable to the E-85 fueling facility at Building 5307</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>Presence of submerged fill in the form of a bottom-fed tank inlet is verified at the time of annual inspection and testing.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006-E85-491, Condition Nos. 2.2 through 2.5</p>	<p>D. Frequency of monitoring:</p> <p>Periodic</p>
<p>B. Description:</p> <p>Phase I vapor recovery requirements as applicable to the E-85 fueling facility at Building 5307</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>An uncertified Phase I vapor recovery system has been installed on E-85 fueling facility under CARB Research and Development (R&D) Authorization. The R&D authorization expires on November 1, 2022. E-85 fueling facility will use a CARB certified Phase I vapor recovery system when such a system is certified by CARB.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006-E85-491, Condition No. 2.6</p>	<p>D. Frequency of monitoring: Daily</p>
<p>B. Description: Requirement that standing E-85 fuel in Phase I spill containment device is prohibited at E-85 fueling facility at Building 5307</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: A daily inspection of E-85 fueling facility ensures that Phase I spill containment device is clean and free of E-85 fuel.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006-E85-491, Condition No. 3</p>	<p>D. Frequency of monitoring: As Needed</p>
<p>B. Description: The requirement for a Phase II vapor recovery system does not apply to the E-85 fueling facility (3.1) because at least 95 percent of motor vehicles fueled there are equipped with Onboard Vehicle Vapor Recovery (ORVR) (3.2)</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The E-85 fueling facility at NBVC Port Hueneme Building 5307 is not equipped with a Phase II vapor recovery system (3.1). All E-85 motor vehicles fueled at the facility are equipped with ORVR as mandated by the United States Environmental Protection Agency for passenger cars manufactured after 2000 and light trucks manufactured after 2006 (3.2).</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006-E85-491, Condition No. 4</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that proper signs be posted at Building 5307 E-85 fueling facility as listed in Conditions 4.1 through 4.5</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Periodic checks for proper signage are conducted by the NBVC Air Quality Program. Proper signage is also verified at the time of the annual compliance inspection.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006-E85-491, Condition No. 6.1</p>	<p>D. Frequency of monitoring: Annual</p>
<p>B. Description: Requirement for E-85 fueling facility at Building 5307 to keep records of vehicle make, model year, identification number, license plate number, and a statement that an ORVR system is in place and functional for each vehicle fueled from the E-85 fuel tank</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All E-85 motor vehicles fueled at the facility are equipped with ORVR as mandated by the United States Environmental Protection Agency for passenger cars manufactured after 2000 and light trucks manufactured after 2006.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006-E85-491, Condition Nos. 6.2 and 6.3</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement for the E-85 fueling facility at Building 5307 to keep records of all tests and maintenance performed on the vapor recovery systems</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Records of all tests and maintenance of the vapor recovery system at the Building 5307 E-85 fueling facility are maintained by the Environmental Division Air Quality Program (EDAQP). Records contain the required elements and are reviewed periodically by the EDAQP staff. Appendix E includes the test results performed during this compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70N3-01006-E85-491, Condition No. 7</p>	<p>D. Frequency of monitoring: As Needed</p>
<p>B. Description: Requirement to submit an application prior to any major modification to the E-85 fueling facility at Building 5307 (7.1) and to pass all required vapor recovery tests within 45 days of modification (7.2)</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: No major modification occurred at Building 5307 E-85 fueling facility during this reporting period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>




ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition No. 1</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: General requirements of Rule 70 and California Air Resources Board (CARB) Executive Order VR-202, including requirements for pressure/vacuum relief valves at vent pipes, requirements for bulk transfers, and good operating practices as applicable to Navy Exchange Gasoline Dispensing Facility (GDF).</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All vent pipes are equipped with the appropriate pressure/vacuum relief valve (1.1), all bulk transfers utilized a properly operating CARB-certified vapor recovery system (1.2), and good operating practices are ensured by periodic monitoring by the Naval Base Ventura County (NBVC) field operations team (1.3).</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition No. 2</p>	<p>D. Frequency of monitoring: Daily inspection of Phase I spill containment devices and vapor recovery equipment, and annual inspection for requirements 2.1, 2.2, and 2.4.</p>
<p>B. Description: Phase I vapor recovery requirements as applicable to the Navy Exchange GDF</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Presence and length of submerged fill pipes (2.1) are verified at the time of annual inspection and testing. The Navy Exchange GDF employs a permanently installed, CARB Certified, Phase I EVR (2.2) equipped with CARB certified poppetted drybreaks (2.4) as required. Lack of leaks (2.3) is ensured during annual static pressure performance tests. A daily inspection of Phase I spill containment devices ensures that the containment devices are clean and free of gasoline (2.5).</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition No. 3</p>	<p>D. Frequency of monitoring: Daily inspection of hanging hardware and annual inspection for the rest of the requirements</p>
<p>B. Description: Phase II vapor recovery requirements as applicable to the Navy Exchange GDF</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Presence of CARB-certified Phase II system was verified at the time of installation (3.1). "Good working order" and the absence of leaks (3.3) are verified by the annual pressure performance tests. All vapor and liquid lines are gravity drained to the USTs as required (3.4). The presence of clearly marked components (3.2), UL listed riser hoses (3.5); insertion interlocks (3.6); coaxial vapor recovery hoses (3.7); and clean air separator (3.9) are verified at the time of the annual inspections. Vapor to Liquid Volume Ratio Test was performed and passed on 11/19/21 (3.8). Hanging hardware on Phase II EVR system is inspected daily by Navy Exchange personnel (3.10).</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition No. 4</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that Phase II vapor recovery systems at the Navy Exchange GDF be operated with none of the defects listed in the California Code of Regulations Section 94006, Subchapter 8, Chapter 1, Part III, of Title 17 (4.1) and that defective equipment be tagged "out of order" and not operated per Condition 4.2.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Proper ongoing maintenance of the Navy Exchange GDF is ensured by the GDF manager. Periodic checks for proper GDF maintenance are conducted by the Environmental Division Air Quality Program (EDAQP) staff. Proper maintenance is also verified at the time of the annual compliance inspection. None of the defects listed in California Code of Regulations Section 94006, Subchapter 8, Chapter 1, Part III, of Title 17 were found to exist at the Navy Exchange GDF during inspections (4.1). Any defective equipment found during daily maintenance inspections carried out by the GDF staff is tagged "out of order" and not operated until repaired as required (4.2).</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition No. 5</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that proper signs be posted at the Navy Exchange GDF as listed in Conditions 5.1 through 5.5</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Periodic checks for proper signage are conducted by the EDAQP. Proper signage is also verified at the time of the annual compliance inspection.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition Nos. 6.1 through 6.6</p>	<p>D. Frequency of monitoring: Annual</p>
<p>B. Description: Requirement to perform a Static Pressure Performance Test (TP-201.3), Determination of Static Pressure Performance of the Healy Clean Air Separator Test (Exhibit 4), Vapor to Liquid Volume Ratio for Healy including Veeder-Root ISD Test (Exhibit 5), ISD Operability Test Procedure (Exhibit 9), and Dynamic Back Pressure Test (TP-201.4) annually at the Navy Exchange GDF</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The most recent tests at the Navy Exchange GDF were performed and passed on 11/19/2021. The District was notified and test results submitted per rule requirements. Appendix E includes the results of the gas station testing during this compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition No. 6.7</p>	<p>D. Frequency of monitoring:</p>
<p>B. Description:</p> <p>Requirement to perform the following tests once every three years: Determination of 2 Inch WC Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities (TP-201.3), Static Torque of Rotatable Phase I Adaptors (TP-201.1B), Leak Rate of Drop Tube/Drain Valve Assembly (TP-201.1C), and Leak Rate and Cracking Pressure of Pressure/Vacuum Vent Valves (TP-201.1E)</p>	<p>Every three years</p>
<p>C. Method of monitoring:</p> <p>The most recent tests at the Navy Exchange GDF were performed and passed on 11/19/2021. The District was notified and test results submitted per rule requirements.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition No. 7.1</p>	<p>D. Frequency of monitoring:</p>
<p>B. Description:</p> <p>Requirement for the Navy Exchange GDF to keep records of tests performed on the vapor recovery systems</p>	<p>Periodic</p>
<p>C. Method of monitoring:</p> <p>Records of tests of the vapor recovery systems at the Navy Exchange GDF are maintained by the EDAQP. Appendix E includes the results of the gas station testing during this compliance certification period.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition No. 7.2</p>	<p>D. Frequency of monitoring:</p>
<p>B. Description:</p> <p>Requirement for the Navy Exchange GDF to keep records of all maintenance performed on the vapor recovery systems</p>	<p>Periodic</p>
<p>C. Method of monitoring:</p> <p>Records of all maintenance of the vapor recovery system at the Navy Exchange GDF are maintained by the station manager. Records contain the required elements and are reviewed periodically by the EDAQP staff.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition No. 7.3</p>	<p>D. Frequency of monitoring: Daily</p>
<p>B. Description: Requirement for the Navy Exchange GDF to keep records of daily hanging hardware inspections</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Records of all daily hanging hardware inspections are kept at the Navy Exchange GDF and reviewed routinely by EDAQP staff.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 70-01006-Exchange-491,501, Condition No. 8</p>	<p>D. Frequency of monitoring: As Needed</p>
<p>B. Description: Requirement to submit an application prior to any major modification to the Navy Exchange GDF (8.1) and to pass all required vapor recovery tests within 45 days of modification (8.2)</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: No major modification was performed at the Navy Exchange GDF during this compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2017), Condition No. 1</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Surface Cleaning and Degreasing -- Solvent ROC and/or Vapor Pressure</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with ROC and vapor pressure limits is ensured by the fact that all solvents must be approved by Environmental Division Air Quality Program (EDAQP) staff before they can be issued and used by any Naval Base Ventura County (NBVC) entity or tenant organization aboard NBVC.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2017), Condition Nos. 2 through 7</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Conditions relating to solvent handling procedures</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with Conditions 2 through 7 of Attachment 74.6 is verified by means of routine surveillance of solvent activities that are carried out by EDAQP staff.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2017), Condition No. 8</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Equipment and work practice requirements applicable to all cold cleaners (except remote reservoir type) -- Measurement of freeboard height, verification of initial boiling point, ROC content, and ROC composite partial pressure</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Routine inspection of solvent activities that are carried out by EDAQP staff confirmed that no non-remote reservoir cold cleaners exist.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2017), Condition No. 9</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Equipment and work practice standards as applicable to remote reservoir cold cleaners -- Measurement of freeboard height, verification of initial boiling point, ROC content, and ROC composite partial pressure</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: It has been determined that all remote reservoir cold cleaners have either been removed from service or replaced with units that use either aqueous cleaning solutions or non-ROC solvents.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2017), Condition No. 10</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Conditions related to cold cleaning operation</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with Condition 10 of Attachment 74.6 is verified by means of routine surveillance carried out by EDAQP staff.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2017), Condition Nos. 14 and 16</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Recordkeeping requirements associated with surface cleaning and degreasing and routine surveillance to comply with Rule 74.6</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with the requirement to maintain a current material list showing the name, ROC and vapor pressure, and intended uses of each solvent material is accomplished by means of a database that records each issuance of a solvent material at NBVC Port Hueneme. For each issuance of material, this database documents a reference to the applicable Safety Data Sheet. The database also documents the recipient of the material, its intended uses. In addition, EDAQP staff performs routine inspection of the applicable solvent cleaning activities to ensure compliance with Rule 74.6.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.6.1 (2019), Condition No. 1</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that the batch loaded vapor degreaser be equipped with specific mechanical and administrative controls designed to limit emissions.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The batch loaded vapor degreaser is equipped with a primary condenser and circumferential trough (a), a water separator (c), a snug fitting cover (d), a high vapor cutoff thermostat (e), a pump spray control switch (f), and a condenser water flow switch (g). The freeboard ratio is 1.25 (b), a General Operation Guideline is posted on the machine (h). Periodic inspection of the vapor degreaser confirms that the degreaser is in compliance with the Condition 1 requirement.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.6.1 (2019), Condition Nos. 2 Through 15</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Conditions for operating the batch loaded vapor degreaser</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The General Operation Guidelines for the vapor degreaser includes instructions which follow the requirements of Conditions 2 through 15 of Attachment 74.6.1. These requirements are also verified by means of routine surveillance of solvent activities that are carried out by EDAQP personnel.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.6.1 (2019), Condition No. 16</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Recordkeeping requirement conditions</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The volume of solvent is recorded each time solvent is added to or removed from the degreaser. These records are reported to the EDAQP on a monthly basis.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.9N7, Condition No. 1</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that emergency standby stationary internal combustion engines shall be operated only during an emergency, or for maintenance operation not to exceed 50 hours per year</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Base-wide Instructions prohibit the use of emergency generators for "non-emergency" purposes. An investigation into the hours of operation of all emergency standby stationary internal combustion engines greater than 50 BHP is performed monthly. Logs maintained at each engine are reviewed regularly. Hour meter readings are recorded before and after each maintenance operation, typically 0.25 hours, once per month. Any additional operation events are readily apparent upon review of the logs. All such events are further investigated to verify that they were the result of an emergency. In addition, EDAQP is notified by Public Works of all planned maintenance of the power distribution system and construction of power distribution system prior to the maintenance.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: 74.9N7, Condition No. 2</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that each emergency standby engine shall be equipped with an operating, non-resettable, elapsed-time hour meter</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All emergency engines are equipped with the required hour meters.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.9N7, Condition Nos. 3 and 4</p>	<p>D. Frequency of monitoring: Annually</p>
<p>B. Description: Requirement that engine operating hours for maintenance be reported annually. The report must also include engine manufacturer, engine model number, operator identification number, and location. In addition, the specified report must accompany the Annual Compliance Certification</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Engine operating hours for maintenance is reported to the District annually. A formatted report detailing annual maintenance operating hours for each engine has been included in Appendix-C of this Compliance Certification as required.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment ATCM Engine N2, Condition Nos. 1 and 3c</p>	<p>D. Frequency of monitoring:</p> <p>Periodic</p>
<p>B. Description:</p> <p>Non-federally enforceable requirement to use only California Air Resources Board (CARB) diesel fuel in emergency standby stationary CI engines(1) and provide documentation supporting such use(3c)</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable</p> <p>N/A</p>
<p>C. Method of monitoring:</p> <p>All diesel fuel combusted in stationary emergency standby engines at Naval Base Ventura County (NBVC) during the compliance period was supplied by the NBVC Supply Department, Fuel Branch. All diesel fuel received by the Supply Department, Fuel Branch, is CARB certified. Data demonstrating the use of CARB-Certified fuel is provided in Appendix A.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment ATCM Engine N2, Conditions No. 2, 3a, and 3b</p>	<p>D. Frequency of monitoring:</p> <p>Periodic</p>
<p>B. Description:</p> <p>Non-federally enforceable requirement that as of January 1, 2006, annual hours of operation for maintenance and testing of the emergency engine(s) not to exceed 20 hours per year. Also, requirement to equip engine(s) with a non-resettable hour meter and maintain a log that differentiates operation during maintenance and testing from emergency use. In addition, the operational hours of each engine shall be summarized by use (emergency or maintenance/testing) on a monthly basis and compiled into a 12-month rolling-sum report</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable</p> <p>N/A</p>
<p>C. Method of monitoring:</p> <p>All stationary emergency standby engines at NBVC are equipped with non-resettable hour meters. Hours of maintenance and emergency use are recorded for each engine on a monthly basis and summarized into 12-month rolling-sum reports as required.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment ATCM Engine N4, Condition Nos. 1 and 4c</p>	<p>D. Frequency of monitoring:</p> <p>Periodic</p>
<p>B. Description:</p> <p>Non-federally enforceable requirement to use only California Air Resources Board (CARB) diesel fuel in emergency standby stationary compression ignition engines(1) and provide documentation supporting such use(4c)</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>All diesel fuel combusted in stationary emergency standby engines at Naval Base Ventura County (NBVC) during the compliance period was supplied by the NBVC Supply Department, Fuel Branch. All diesel fuel received by the Supply Department, Fuel Branch, is CARB certified. Data demonstrating the use of CARB-Certified fuel is provided in Appendix A.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment ATCM Engine N4, Condition Nos. 2 and 4(a&b)</p>	<p>D. Frequency of monitoring:</p> <p>Periodic</p>
<p>B. Description:</p> <p>Non-federally enforceable requirement to equip emergency standby stationary compression ignition engines with hour meters and limit the number of hours these engines are operated for maintenance and testing to no more than 50 hours during any 12- month period. In addition, the operational hours of each engine shall be summarized by use (emergency or maintenance/testing) on a monthly basis and compiled into a 12-month rolling-sum report</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>All stationary emergency standby engines at NBVC are equipped with non-resettable hour meters. Hours of maintenance and emergency use are recorded for each engine on a monthly basis and summarized into 12-month rolling-sum reports as required.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment ATCM Engine N4, Condition No. 3</p>	<p>D. Frequency of monitoring:</p> <p>Ensured at ATC application submittal</p>
<p>B. Description:</p> <p>Non-federally enforceable requirement that all "in-use" emergency standby stationary compression ignition engines subject to this rule to be EPA/CARB certified to meet the particulate matter standard of 0.15 grams/BHP-hr</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>All "in-use" emergency standby stationary compression ignition engines subject to this rule are CARB certified as required. Certification documents are available upon request.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment ATCM Engine N5, Condition Nos. 1 and 4c</p>	<p>D. Frequency of monitoring:</p> <p>Periodic</p>
<p>B. Description:</p> <p>Non-federally enforceable requirement to use only California Air Resources Board (CARB) diesel fuel in emergency standby stationary CI engines installed after January 1, 2005 (1) and provide documentation supporting such use(4)</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable</p> <p>N/A</p>
<p>C. Method of monitoring:</p> <p>All diesel fuel combusted in stationary emergency standby engines at Naval Base Ventura County (NBVC) during the compliance period was supplied by the NBVC Supply Department, Fuel Branch. All diesel fuel received by the Supply Department, Fuel Branch, is CARB certified. Data demonstrating the use of CARB-Certified fuel is provided in Appendix A.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment ATCM Engine N5, Condition No. 2</p>	<p>D. Frequency of monitoring:</p> <p>Monthly</p>
<p>B. Description:</p> <p>Non-federally enforceable requirement that all emergency standby stationary CI engines installed after January 1, 2005 be EPA/CARB certified to meet the particulate matter emission standard of 0.15 grams/BHP-hr</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable</p> <p>N/A</p>
<p>C. Method of monitoring:</p> <p>All stationary emergency standby engines installed after January 1, 2005 at NBVC are CARB certified as required. Certification documents are available upon request.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment ATCM Engine N5, Conditions No. 3, 4.a, and 4.b</p>	<p>D. Frequency of monitoring:</p> <p>Ensured at ATC application submittal</p>
<p>B. Description:</p> <p>Non-federally enforceable requirement to equip emergency standby stationary CI engines installed after January 1, 2005 with hour meters and limit the number of hours these engines are operated for maintenance and testing to no more than 50 hours during any 12-month period. In addition, the operational hours of each engine shall be summarized by use (emergency or maintenance/testing) on a monthly basis and compiled into a 12-month rolling-sum report. Also, when not being operated for maintenance or testing, the emergency engine(s) are used only for "emergency use".</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable</p> <p>N/A</p>
<p>C. Method of monitoring:</p> <p>All stationary emergency standby engines installed after January 1, 2005 at NBVC are equipped with non-resettable hour meters. Hours of maintenance and emergency use are recorded for each engine on a monthly basis and summarized into 12-month rolling-sum reports as required.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>




ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment ATCM Portable Engine Condition No. <u>1</u></p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Non-federally enforceable requirement to use only California Air Resources Board (CARB) diesel fuel in portable diesel engines</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All diesel fuel combusted in portable diesel engines at Naval Base Ventura County (NBVC) during the compliance period was supplied by the NBVC Supply Department, Fuel Branch. All diesel fuel received by the Supply Department, Fuel Branch, is CARB certified. Data demonstrating the use of CARB-Certified fuel is provided in Appendix A.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment ATCM Portable Engine Condition No. <u>2</u></p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Non-federally enforceable requirement that all portable diesel-fueled engines permitted prior to January 1, 2010 be certified to meet federal or California standard for newly manufactured engines</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All portable diesel-fueled engines permitted prior to January 1, 2010 at NBVC meet federal or California standard for newly manufactured engines. All Tier zero portable diesel-fueled engines owned by NBVC were removed from service before January 1, 2010.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment ATCM Portable Engine Condition No. <u>3</u></p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Non-federally enforceable requirement that all portable diesel-fueled engines permitted on or after January 1, 2010 be certified to the most stringent standards contained in the federal or California emission standards for nonroad engines</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All portable diesel-fueled engines permitted on or after January 1, 2010 at NBVC are certified to the most stringent standards contained in the federal or California emission standards for nonroad engines.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment ATCM Portable Engine Condition No. <u>4</u></p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Non-federally enforceable requirement that the weighted average particulate matter emission rate for the fleet of portable diesel engines shall not exceed the standards specified at Section 93116.3(c), Title 17, California Code of Regulations</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Naval Base Ventura County is unable to meet the fleet average of 0.10 g/bhp-hr beginning 1/1/2020 and has elected the Phase Out Option beginning 1/1/2022. Two Tier 2 portable generators were phased out prior to 1/1/2022 in order to meet the Portable ATCM requirement.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment CARB Truck & Bus, Condition No. 1</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Non-federally enforceable requirement that all sweeper vehicle auxiliary engines be operated with the applicable requirements of CARB Regulation to reduce emissions from in-use heavy-duty diesel-fueled vehicles</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All portable diesel sweeper engines operate at NBVC are in compliance with the applicable requirements of CARB "Regulation to Reduce Emission of Diesel Particulate Matter, NOx, and Other Pollutants from In-Use Heavy-Duty Diesel-Fueled Vehicles". All two-engine sweepers at NBVC are operated in compliance with the Regulation and planned to be phased out in accordance with Section (f)(1).</p>	<p>I. Currently in Compliance? (Y or N): <u>Y</u> J. Compliance Status? (C or I): <u>C</u> K. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment CARB Truck & Bus, Condition No.2</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: The permittee shall maintain a status record of each sweeper vehicle's compliance requirements and compliance status with the Regulation to Reduce Emissions of Diesel Particulate Matter, Oxides of Nitrogen and Other Criteria Pollutants, from In-Use and Heavy-Duty Diesel-Fueled Vehicles, specifically the requirements for sweeper vehicle auxiliary engines located in Section (n).</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Records of all sweepers are included in an inventory of NBVC's Truck & Bus Fleet. The inventory that includes sweepers is kept on file and updated periodically. The inventory includes compliance requirements and replacement schedules, as per the Regulation, including Section (n).</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.12N1</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: ROC limits for coatings, application method requirements, solvents and vapor pressure limits for solvents, and recordkeeping requirements associated with the coating of metal parts and products</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All coating and solvent materials must be approved by Environmental Division Air Quality Program (EDAQP) before they can be procured. A description of the item coated is made for the purpose of determining whether Rule 74.12 or another rule applies. A current material list showing the name and manufacturer of the components is accomplished by means of a database that records each issuance of a coating and solvent. In addition, volume of all coatings applied to any metal substrate, manufacturer, ROC Content, mix ratio, and type of coatings are recorded by each coating operation on a daily basis. These records are submitted to the EDAQP on a monthly basis. Volume of all coatings are compiled and reported against permit limits as total coatings applied. Only solvents with ROC contents of 25 grams per liter and less are used for substrate surface cleaning and cleanup. Routine inspection of the coating activities is made to ensure compliance with all standards.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 74.15N1	D. Frequency of monitoring:
B. Description: Emissions not to exceed 40 ppmvd NOx and 400 ppmvd CO, as demonstrated by biennial source test report. Routine surveillance is also required	Biennial
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable CARB Method 100
C. Method of monitoring: Wharfs 3 and Wharf 4 boilers have been out of service during the compliance certification period.	F. Currently in Compliance? (Y or N): <u>Y</u>
	G. Compliance Status? (C or I): <u>C</u>
	H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.15.1N1</p>	<p>D. Frequency of monitoring: Screening annually, source test every 48 months</p>
<p>B. Description: Emissions not to exceed 30 ppmvd NOx and 400 ppmvd CO, as demonstrated by quadrennial source test analysis. Also, requirement to conduct annual screening analysis when source test is not performed.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable CARB Method 100</p>
<p>C. Method of monitoring: The 1.825 MMBTU/hr Laars boiler, located at Building 2 was source tested and passed on 2/10/2021. Boiler source test and emissions screening results are presented in Appendix B.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.15.1N2</p>	<p>D. Frequency of monitoring:</p> <p>Annual</p>
<p>B. Description:</p> <p>Requirement to perform tune-ups, install totalizing fuel meter, and keep records. Submit tune-up reports to District every 12 months</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>The 2.1 MMBTU/hr Hurst Boiler is used for training purposes only and is fired on fuel oil and natural gas. It is equipped with fuel meters for both fuels. Reading from both meters are taken on a monthly basis and compiled into a 12-month rolling sum report. Tune-up completed 3/2/2021 (biennially per VCAPCD agreement for boiler, building 1419 and de-icers).</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.15.1N5</p>	<p>D. Frequency of monitoring: Screening annually, source test every 48 months,</p>
<p>B. Description: Emissions not to exceed 20 ppmvd NOx and 400 ppmvd CO, as demonstrated by quadrennial source test analysis. Also, requirement to conduct annual screening analysis when source test is not performed.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable CARB Method 100</p>
<p>C. Method of monitoring: Two 1.44 MMBTU/hr Lochinvar boilers located at Building 1479 were last source tested on 6/18/2019. The test reported NOx, CO, and Stack Gas Oxygen values in accordance with California Air Resources Board Method 100. The emission screening was conducted on both boilers on 3/16/21. Boilers source test and emission screening results are presented in Appendix B.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31/ 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.18N1</p>	<p>D. Frequency of monitoring:</p> <p>Periodic</p>
<p>B. Description:</p> <p>ROC limits for coatings and solvents, work practice and application method requirements and vapor pressure limits for solvents, and recordkeeping requirements associated with the coating of motor vehicles and mobile equipment</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>All coating and solvent materials must be approved by Environmental Division Air Quality Program (EDAQP) before they can be procured. A current material list showing the name and manufacturer of the components issued to any operation abroad Naval Base Ventura County accomplished by means of a database that records each issuance of a coating and solvent material. For each issuance of material, this database contains a reference to the applicable SDS sheet. In addition, daily usage records of the type, manufacturer, ROC content, mix ratio, and volume of coatings are submitted to the EDAQP on a monthly basis. ROC contents of 25 grams per liter and less are used for substrate surface cleaning and cleanup. Routine inspection of coating operations is performed to ensure compliance with all standards.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.24N1</p>	<p>D. Frequency of monitoring:</p> <p>Periodic</p>
<p>B. Description:</p> <p>ROC limits for coatings and solvents, vapor pressure limits for solvents, work practice standards, and recordkeeping requirements associated with marine coating operations</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable</p> <p>N/A</p>
<p>C. Method of monitoring:</p> <p>All coating and solvent materials must be approved by Environmental Division Air Quality Program before they can be procured. A current material list showing the name and manufacturer of the components issued to any operation abroad Naval Base Ventura County accomplished by means of a database that records each issuance of a coating and solvent material. For each issuance of material, this database contains a reference to the applicable SDS sheet. In addition, daily usage records of the type, manufacturer, ROC content, mix ratio, and volume of coatings are submitted to the EDAQP on a monthly basis. Volume of all coatings are recorded, compiled, and reported against permit limits as total coatings applied. ROC contents of 25 grams per liter and less are used for substrate surface cleaning and cleanup. Routine inspection of coating activities is performed to ensure compliance with all requirements.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 74.29N2	D. Frequency of monitoring:
B. Description: Rule 74.29, Soil decontamination operations and recordkeeping procedures	N/A
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: The vapor extraction system at the "Navy Exchange Gas Station" (formerly VCAPCD Permit #00902) did not extract vapors from the subsurface at any time during this compliance certification period. The system has been dormant and inactive during this certification period.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 74.30N1	D. Frequency of monitoring:
B. Description: ROC limits for coatings and solvents and vapor pressure limits for solvents, work practice standards, and recordkeeping requirements associated with wood products coating operations	Periodic
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: All coating and solvent materials must be approved by Environmental Division Air Quality Program before they can be procured. Volume of all coatings are recorded, compiled, and reported against permit limits as total coatings applied. Routine inspection of the coating operations ensures that they are in compliance with all requirements	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment NESHAP II	D. Frequency of monitoring:
B. Description: Requirement to keep records to demonstrate the stationary source is not a major source of HAPs	As Needed
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: Hazardous Air Pollutant (HAP) emission calculations were performed to demonstrate that NBVC Port Hueneme site is not a major source of HAPs. No changes occurred during 2021 that would have influenced Naval Base Ventura County (NBVC)'s HAP status. Documentation of the original HAP calculations is maintained by the NBVC Air Program and is available upon request.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form




ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 40CFR63ZZZN3, Condition No. 1</p>	<p>D. Frequency of monitoring:</p>
<p>B. Description:</p> <p>National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines (RICE)- Requirements to change filter and oil , and inspect air cleaner, hoses, and belts</p>	<p>Air cleaner inspection: every 1000 hours of operation or annually, whichever comes first Oil and filter change: every 500 hours of operation or annually, whichever comes first Hoses and belts inspection: every 500 hours of operation or annually, whichever comes first</p>
<p>C. Method of monitoring:</p> <p>Naval Base Ventura County has a maintenance plan to ensure compliance with the maintenance requirements of Attachment 40CFR63ZZZN3</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 40CFR63ZZZN3, Condition No. 2</p>	<p>D. Frequency of monitoring:</p>
<p>B. Description:</p> <p>Requirement that all existing emergency diesel stationary RICE are operated and maintained according to the manufacture's emission-related written instructions or NVBC plan in a manner to minimize emissions</p>	<p>Routine</p>
<p>C. Method of monitoring:</p> <p>All existing emergency diesel stationary RICE were operated and maintained according to the manufacturer's instructions and RICE NESHAP maintenance requirements during the compliance certification period.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 40CFR63ZZZN3, Condition No. 3</p>	<p>D. Frequency of monitoring:</p>
<p>B. Description:</p> <p>Requirement that existing emergency diesel stationary RICE are equipped with a non-resettable hour meter</p>	<p>Monthly</p>
<p>C. Method of monitoring:</p> <p>All existing emergency diesel stationary RICE are equipped with a non-resettable hour meter.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 40CFR63ZZZN3, Condition No. 4</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Requirement that permittee minimize the engine's time spent at idle during startup, not to exceed 30 minutes</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: To conserve resources and reduce emissions, NBVC limits the idling of stationary engines to the period of time required to bring the subject engines to a mechanically optimal operating temperature. In no case do these periods of optimization exceed 30 minutes.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 40CFR63ZZZN3, Condition No. 5(b)</p>	<p>D. Frequency of monitoring: N/A</p>
<p>B. Description: Requirement that existing emergency diesel stationary RICE operations are limited to 100 hours per calendar year for maintenance and testing, emergency demand response, frequency deviation situations, and up to 50 hours per year for non-emergency situations.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Federally enforceable Rule 74.9 limits the maintenance hours of operation to 50 hours per calendar year for the emergency standby stationary internal combustion engines rated at 50 or more break-horsepower operated at NBVC. In addition, Airborne Toxic Control Measure (ATCM) for stationary compression ignition engines limits the maintenance hours of operation to 20 hours per calendar year for engines installed prior to January 1, 2005 and 50 hours per calendar year for engines installed after January 1, 2005.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 40CFR63ZZZN3, Condition No. 5(c)</p>	<p>D. Frequency of monitoring: N/A</p>
<p>B. Description: Operation of the existing emergency diesel stationary RICE for Peak shaving or non-emergency demand response program</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: None of the existing emergency stationary RICE located at NBVC was operated for peak shaving or non-emergency demand response during the compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 40CFR63ZZZN3, Condition No. 6</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Recordkeeping requirements</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Naval Base Ventura County has developed a maintenance plan to ensure compliance with the maintenance requirements of 40 CFR Part 63, Subpart ZZZZ. The records of maintenance are retained by the Environmental Division Air Quality Program (EDAQP). All stationary emergency RICE at NBVC are equipped with non-resettable hour meters. Hours of maintenance and emergency use are recorded for each engine on a monthly basis by the EDAQP.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 40CFR63ZZZN3, Condition No. 9</p>	<p>D. Frequency of monitoring: N/A</p>
<p>B. Description: Requirement that on an annual basis, the permittee certify that all engines at the stationary source are operating in compliance with 40 CFR Part 63, Subpart ZZZZ, NESHAP for RICE</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All engines at NBVC were operated in compliance with 40 CFR Part 63, Subpart ZZZZ, NESHAP for RICE during the compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 40CFR60IIIIN1, Condition No. 1</p>	<p>D. Frequency of monitoring: Per Event</p>
<p>B. Description: Requirement that stationary compression ignition engines which are 2007 model or later, are used for emergency purposes, and have an engine displacement of less than 10 liters per cylinder comply with the certification emission standards for new nonroad compression ignition engines for the same model year and maximum engine power found in 40 CFR 89.112 and 40 CFR 89.113.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Environmental Division Air Quality Program staff review and verify the California Air Resources Board (CARB) and Environmental Protection Agency emission certification for the new stationary compression ignition internal combustion engine prior to purchasing and installing the engine. In addition, VCAPCD Rule 26.2 has required Best Available Control Technology (BACT) for all new emissions units. Therefore, all new emergency diesel engines installed and permitted in Ventura County after 2007 are in compliance with this requirement because the BACT requirements are at least as stringent as the engine standards of 40 CFR 89.112 and 40 CFR 89.113.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 40CFR60IIIIN1, Condition No. 2</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement to use CARB diesel fuel in stationary compression ignition emergency engines</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All diesel fuel combusted in stationary emergency engines at Naval Base Ventura County (NBVC) during the compliance period was supplied by the NBVC Supply Department, Fuel Branch. All diesel fuel received by the Supply Department, Fuel Branch, is CARB certified. Data demonstrating the use of CARB-certified fuel is provided in Appendix A.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC1-671, Condition No. 1</p>	<p>D. Frequency of monitoring:</p> <p>Monthly</p>
<p>B. Description:</p> <p>Requirement to keep monthly records of throughput/usage for all operations listed in Table 3 of Permit 01006. On an ongoing basis, monthly usage for each operation is to be summed for the previous 12 months, and the totals reported.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>All applicable data are gathered each month and entered into a database. For each throughput/usage limit, data are compiled to determine the throughput/usage for each month. Monthly data are then summed for each period of 12 consecutive months. These 12-month rolling sums are reported.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC1-671, Condition No. 2</p>	<p>D. Frequency of monitoring:</p> <p>Monthly</p>
<p>B. Description:</p> <p>For solvent cleaning activities, requirement to keep monthly records of solvents purchased, recycled, or disposed</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>Records of solvents purchased are extracted from a database called Enterprise Resources Planning (ERP), which keeps a record each time a hazardous material is issued to the end user. Some data as to solvents disposed is gathered from a database called Hazardous Waste Declaration System (HWDS). There are not always records of solvents disposed, and in such cases, the solvents are conservatively assumed to have evaporated, and are reported as such.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC1-671, Condition No. 3</p>	<p>D. Frequency of monitoring:</p> <p>Annual</p>
<p>B. Description:</p> <p>Requirement that all State-registered portable equipment comply with State registration requirements, and that a copy of State registration be available</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>Tactical support equipment are registered with the California Air Resources Board's Portable Equipment Registration Program (PERP). PERP requirements for tactical support equipment are minimal--requiring only a description of each type of equipment and the number of units attached to the facility. Documentation of equipment registration is maintained in the Air Quality Program Office. Prior to the annual PERP renewal date, a survey is conducted of all tactical support equipment located at the facility.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC2-rev881, Condition No. 1</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that the sulfur content of distillate fuel burned in portable internal combustion engines shall not exceed 0.05% by weight</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All diesel fuel burned in portable internal combustion engines is supplied by the Naval Base Ventura County (NBVC) Supply Department, Fuel Branch. All diesel fuel received by the Supply Department, Fuel Branch, is California Air Resources Board (CARB) certified. Data demonstrating the use of CARB-certified fuel are provided in Appendix A. Data indicating the use of CARB-certified fuel is maintained at the facility and provided with this annual compliance certification in Appendix A.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC2-rev881, Condition No. 2, as applicable to individual engines with limits expressed in hours per year</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that affected engines be equipped with hour meter, and their hours of operation be recorded monthly and compiled so as to demonstrate compliance with the usage limits of Table 3</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Each engine with an applicable limit is equipped with a properly installed and maintained hour meter. Hour meters of each engine are read on a monthly basis or more often to ensure compliance with the rolling-12-month limits. The data are compiled monthly and compared to the applicable limits.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC2-rev881, Condition No. 2, as applicable to engines that are part of an engine group where the limit is expressed in BHP-hrs/year</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that engine usage be properly recorded and compiled so as to demonstrate compliance with the usage limits of Table 3</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Each engine is equipped with a properly installed and maintained hour meter. Hour meters of each engine are read monthly. Monthly hours of operation are determined and multiplied by the BHP rating of each engine to determine BHP-hours for that engine for that month. Values for all engines in a group are summed to determine total BHP-hours for that month. Each month, total monthly BHP-hrs are summed for the previous 12 months and compared to the applicable BHP-hr/year limit.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC2-rev881, Condition No. 3</p>	<p>D. Frequency of monitoring: Per Operation</p>
<p>B. Description: Non-federally enforceable requirement that the five portable John Deere engines (4- 165 BHP units and 1- 315 BHP unit) provide power to a) individual buildings housing critical infrastructure during grid maintenance and electrical repair operations, b) provide power during emergency use, and C) maintenance and testing use of the combined five engines shall not exceed the 95,750 BHP-hr per year limit.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Each engine is equipped with a non-resettable hour meter. A log of engine operation which includes usage record and describes the purpose of each engine use is maintained by Environmental Division Air Quality Program office.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC2-rev881, Condition No. 4</p>	<p>D. Frequency of monitoring: Per Operation</p>
<p>B. Description: Non-Federally enforceable requirement to notify Ventura County Air Pollution Control (VCAPCD) of long term operations requiring the use of portable engines</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: During this compliance certification period, no portable engines were used at any single location where operations lasted for more than 30 days. Therefore, no notification on this subject was made to VCAPCD.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC2-rev881, Condition No. 5</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Prohibition against using a portable engine to perform a permanent function</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Portable engines at NBVC are used by the Public Works Department. Due to the inherent nature of their work, engines are constantly moved from one location to another within the site to perform work.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment PO01006PC2-rev881, Condition No. 6	D. Frequency of monitoring: Periodic
B. Description: NOx emission requirements for sweeper engines, as per Rule 26	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: All sweeper vehicle portable diesel engines have NOx emission certification documents.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC4- rev671, Condition No. 1</p>	<p>D. Frequency of monitoring: N/A</p>
<p>B. Description: Requirement that the gasoline loading rack at Building 5307 be equipped with a California Air Resources Board (CARB)-certified vapor recovery system</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Naval Base Ventura County has a letter from CARB dated November 21, 2003, stating that the 20,000-gallon Bryant Fuel Systems bulk plant system installed at Port Hueneme will meet the 95% vapor recovery efficiency requirement as required for site-specific certification.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC4- rev671, Condition No. 1</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that no more than 100,000 gallons of gasoline per year are transferred from the loading rack to delivery vessels, and that no more than 100,000 gallons of gasoline per year are subsequently delivered to non-motor vehicle equipment. Monthly recordkeeping to demonstrate compliance is also required</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Fuel transfers are recorded in a database at the point at which they are transferred from the delivery vessel to the end user (dispensed into equipment that is not a motor vehicle). Data from this database is compiled into monthly reports. Fuel transfers from the loading rack to the delivery vessel are assumed equal fuel deliveries. Since the gasoline tank has been out of service since 4 January 2016, no gasoline has been transferred from the loading rack after 4 January 2016.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 1</p>	<p>D. Frequency of monitoring: Annually</p>
<p>B. Description: Federally enforceable requirement that five boilers (one at Wharf 3, one at Wharf 4, one at Building 2, and two at Building 1479) and one burner at Building 1100 be fired only on PUC regulated natural gas</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance is demonstrated by the fact that the only fuel supply to these boilers is by the natural gas utility distribution system, which is PUC-regulated. Boilers at Wharves 3 and 4 were out of service during the compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 2</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that natural gas usage for each boiler shall not exceed the limits listed in Section No. 3, "Permitted Throughput and Consumption Limit Table"</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Boiler gas meter readings are taken each month. These readings are compiled into reports that express gas usage on a monthly basis and usage over the preceding 12 months. Reports were generated for each of the twelve month periods that ended during the compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 3, as applicable to distillate oil consumption in the Hurst Boiler at Building 1419</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that the total distillate oil consumption in the Hurst Boiler shall not exceed 1,000 gallons per year. Associated recordkeeping to ensure compliance is also required</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The 2.1 MMBTU Hurst boiler at Building 1419 is fitted with two totalizing fuel meters--one on the fuel delivery line, and one on the return line. Consumption is determined by subtracting the fuel returned from the fuel delivered.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 3, as applicable to natural gas consumption in the Hurst Boiler at Building 1419</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that the total natural gas consumption in the Hurst Boiler shall not exceed 0.1 MMCF per year. Associated recordkeeping to ensure compliance is also required</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Natural gas consumption in the 2.1 MMBTU Hurst Boiler at Building 1419 was determined by a totalizing fuel meter.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 3, as applicable to the Global boilers</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that the annual hours of operation for the two Global aircraft de-icer process heaters does not exceed 200 hours. Associated recordkeeping to ensure compliance is also required</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The two Global aircraft de-icers are equipped with dedicated totalizing hour meters and the hour meter readings are taken each month.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 4</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that the sulfur content of distillate fuel burned in the Hurst and Global boilers shall not exceed 0.05% by weight.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with this requirement is demonstrated by the fact that all diesel fuel burned in boilers is supplied by the Naval Base Ventura County Supply Department, Fuel Branch, and that all diesel fuel received by the Supply Department, Fuel Branch is California Air Resources Board certified. Please see Appendix A for documentation.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 5</p>	<p>D. Frequency of monitoring: Biennial</p>
<p>B. Description: BACT condition for the two 8.4 MMBTU/hr Superior boilers at Wharf #3 and Wharf #4 that limits NOx emissions to 12 ppmvd at 3% oxygen, averaged over 16 consecutive minutes. Source testing requirement is also specified at a minimum of every 24 months</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable CARB Method 100 and EPA Method 19</p>
<p>C. Method of monitoring: Both Boilers were out of service during the compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 6</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement to install dedicated totalizing natural gas fuel meters on the two 8.4 MMBTU/hr Superior boilers at Wharf 3 and Wharf 4</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Dedicated totalizing fuel meters were installed on Wharves 3 and 4 boilers. Both Boilers were out of service during the compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 7</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that the two 4.8 MMBTU/hr Global aircraft de-icers be equipped with dedicated hour meters</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with this requirement is demonstrated by the fact that the two Global aircraft de-icers are equipped with dedicated totalizing hour meters.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 8</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that the two 4.8 MMBTU/hr Global aircraft de-icers are to be used only for aircraft deicing training purposes only</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with this requirement is ensured by the fact that the de-icer vehicles in which the boilers are permanently mounted are not readily suitable for any purpose other than aircraft de-icing. Routine inspections ensure that the units are not altered. Since there is never any ice in Port Hueneme to remove, or any aircraft to de-ice, it is logical that the boilers are only used for training purposes.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 9</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that the Hurst boiler located in building 1419 be used for training purposes only</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with this requirement is demonstrated by the fact that the boiler is plumbed in such a manner that any steam or hot water produced by it cannot serve any useful purpose. Logically, it can only be used for training purposes.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 10</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: BACT requirement that the Hurst boiler located in building 1419 operates in compliance with APCD Rule 74.16.1 and Rule 74.16.1.B.2</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Though the annual heat input of the 2.1 MMBTU/hr Hurst boiler is less than 300 MMBTU, it is operated per the requirements of Rule 74.16.1.B.2 for boilers with an annual heat input greater than 300 MMBTU (and less than 1,800 MMBTU). Per 3/21/2021 agreement with VCAPCD, biennial tune-ups will be adhered to starting in Calendar Year 2022.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC5-671, Condition No. 11</p>	<p>D. Frequency of monitoring:</p> <p>Periodic</p>
<p>B. Description:</p> <p>Requirement that the NCEL Burner shall be used for testing purposes only</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable</p> <p>N/A</p>
<p>C. Method of monitoring:</p> <p>The NCEL burner is designed to produce a very high speed flame to simulate a jet engine exhaust. It is impractical to use this burner for any purpose other than for testing. Routine inspections ensure that the burner is used for testing only.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC6-831, Conditions No.1 and 2</p>	<p>D. Frequency of monitoring: Daily during operations and monthly for recordkeeping purposes</p>
<p>B. Description: Federally enforceable requirement that the ROC and throughput of coatings and solvents used at NBVC Port Hueneme do not exceed the limits listed in Table 3 of Title V Permit #01006.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with this requirement is demonstrated by means of daily logs (compiled on a monthly basis) that record the ROC and volume of coating applied and a description of the item coated. To ensure compliance with the ROC requirement, the Environmental Division Air Quality Program (EDAQP) screens the coatings and solvents prior to purchase and use in coating operations. In addition, routine inspections of paint cabinets are performed to ensure compliance with ROC content requirements. Monthly usage is summed each month and for the previous 12 months to demonstrate compliance. No coatings were applied by the Port Services Department during the compliance certification period other than architectural coatings for routine maintenance purposes.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC6-831, Condition No. 3</p>	<p>D. Frequency of monitoring: As Needed</p>
<p>B. Description: ROC content limit of 2.8 lbs/gallon for coating of marine vessels by Naval Surface Warfare Center (NSWC). Associated recordkeeping is also required</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All coating and solvent materials must be approved by EDAQP before they can be procured. Approval of any coating with ROC content in excess of 2.8 lbs/gallon is not granted. Routine inspection of coating activities is performed to ensure compliance with all requirements including maintaining records of coatings and ROC content.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC6-831, Condition No. 4</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that only inorganic solvents are used in surface preparation or cleanup of application equipment associated with the coating of marine vessels at Naval Surface Warfare Center (NSWC) buildings.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All materials must be approved by EDAQP before they can be procured. Compliance is also ensured by periodic inspection of the paint storage lockers by Air Quality Program personnel.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC6-831, Condition No. 5</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Non-Federally enforceable requirement for paint spray booths and painting rooms to be fitted with overspray filters, and that the filters be replaced before the spray booth manometer reaches 0.5 inches of water column.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Each spray booth is equipped with overspray filters and a manometer. Compliance is ensured by periodic monitoring and inspection of coating operations in spray booths and paint rooms performed by EDAQP staff. If a manometer reached 0.5 inches of water column before the overspray filters can be replaced, the booth is designated as Not in Service, and prohibited from use until overspray filters are replaced.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC6-831, Condition No. 6</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Non-Federally enforceable prohibiting the use of coatings containing lead or hexavalent chromium.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with this requirement is demonstrated by the fact that all coatings must be approved by the EDAQP prior to their purchase or use in coating operations. No coatings containing lead or hexavalent chromium are approved for use.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC7-rev721, Conditions No. <u>1</u></p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Limit of one ton per year of abrasives for use in unconfined abrasive blasting operations</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Projects that involve unconfined blasting are required to go through the Public Works Project Review Board. Such projects are reviewed by Environmental Division Air Quality Program (EDAQP) staff, who require that the quantity of the abrasive blasting materials used is reported to the EDAQP.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC7-rev721, Conditions No. <u>2</u></p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Limit of seven tons per year of abrasives for combined use in four abrasive blast cabinets</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Monthly abrasive usage records for the four abrasive blast cabinets are submitted to the EDAQP and compiled into rolling 12 month throughput reports.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC7-rev721, Conditions No. <u>3</u></p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Requirement that unconfined abrasive blasting operations comply with Rule 74.1</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Projects that involve unconfined blasting are required to go through the Public Works Project Review Board. Such projects are reviewed by EDAQP staff, which in turn requires that all contractors comply with Rule 74.1.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC7-rev721, Condition No. 4(a)</p>	<p>D. Frequency of monitoring: Annual</p>
<p>B. Description: Opacity survey from confined abrasive blasting operations at Buildings 813 and 1497</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The Building 1497 large blast room was out of service during the compliance certification period. Opacity survey was performed on the blast cabinets located inside Buildings 813 and 1497 on 8/2/2021. No opacity was noted.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC7-rev721, Condition No. 4(b)</p>	<p>D. Frequency of monitoring: Annual</p>
<p>B. Description: Requirement to control PM emissions from dust collectors, a floor reclaim system, bucket elevator, and media cleaning unit associated with the Building 1497 large blast room. This includes maintenance of the dust collector system and inspection and/or replacement of each filter cartridge on an annual basis.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The Building 1497 large blast room was out of service during the compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC7-rev721, Condition No. 4(d)</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Requirement to follow dust handling and filters inspection protocols and to operate the Clemco abrasive blast cabinet at Building 813 pursuant to manufacturer's specifications.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The three Clemco abrasive blast cabinets dust collectors and their pulse jet cleaning systems were operated pursuant to manufacturer's specifications. All filters were inspected 8/2/2021. A record of filter inspection is maintained at the facility.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>




ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC7-rev721, Condition No. 4(e)</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Requirement to use manufacturer's approved blast media in the Building 813 and Building 1497 blast cabinets</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Routine surveillance of the blast cabinets at Buildings 813 and 1497 confirms that only blast media that is approved by the manufacturer was used during the compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC7-rev721, Condition No. 5</p>	<p>D. Frequency of monitoring: Monthly for abrasive usage and annually for opacity and filter inspection</p>
<p>B. Description: Requirement to keep a record of the annual survey and inspection of duct collector filters, and monthly and twelve month rolling sum of abrasive blast media used in Building 813 and 1497 blast cabinets</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Records of the annual inspection of duct collector filters, and monthly and twelve month rolling sums of abrasive blast media used in Building 813 and 1497 blast cabinets are maintained by EDAQP.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment PO1006PC8	D. Frequency of monitoring:
B. Description: Conditions associated with alternative operating scenarios	N/A
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: No surge condition or national security emergency was declared at any time during this compliance certification period.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC9-rev491</p>	<p>D. Frequency of monitoring: Monthly</p>
<p>B. Description: Requirement that any equipment designated as "Out of Service" in Tables 2, 3, and 4 of this permit is shut down and not operated.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All the equipment designated as "Out of Service" in Tables 2, 3, and 4 of this permit were shut down and did not operate during the compliance period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment PO01006PC9-rev491, Condition 2</p>	<p>D. Frequency of monitoring: As Needed</p>
<p>B. Description: Requirement that before operating any equipment designated as "Out of Service", a Modification to Part 70 Permit application be submitted.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: A Modification to Part 70 Permit application is submitted before operating any equipment designated as "Out of Service".</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Rule 50-- Opacity,</p>	<p>D. Frequency of monitoring:</p>
<p>B. Description: Prohibition of visible emissions, requirement for routine surveillance and a formal opacity survey</p>	<p>Annual</p>
	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Surveillance of all equipment is conducted on a routine basis as required. A formal survey of all emission units at the facility was completed in August, and December 2021. An untrained observer noted no visible emissions during the survey. Appendix C contains a copy of the formal survey results.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 54.B.1	D. Frequency of monitoring:
B. Description: Sulfur emissions at point of discharge	N/A
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: Compliance with Attachment 54.B.1 is demonstrated by compliance with Rule 64 as noted in the Applicability section of Attachment 54.B.1.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 54.B.2	D. Frequency of monitoring:
B. Description: Ground or sea level sulfur emissions at or beyond the stationary source property line	N/A
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: Compliance with Attachment 54.B.2 is demonstrated by screening level dispersion modeling tests referenced in the Ventura County Air Pollution Control District (VCAPCD) Memorandum dated May 23, 1996, authored by Terri Thomas of the VCAPCD.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 55	D. Frequency of monitoring:
B. Description: Applicable requirements for activities capable of generating fugitive dust	Routine
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: The Public Works Project Review Board requires that contractors who perform construction activities at Naval Base Ventura County and are capable of generating fugitive dust to comply with the Ventura County Air Pollution Control District Rule 55 conditions.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 55.1</p>	<p>D. Frequency of monitoring:</p>
<p>B. Description:</p> <p>Applicable requirements for paved and unpaved road activities</p>	<p>Routine</p>
	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring:</p> <p>The Public Works Project Review Board requires that contractors who perform road construction activities at Naval Base Ventura County to comply with the Ventura County Air Pollution Control District Rule 55.1 conditions.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>




Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 57.1	D. Frequency of monitoring:
B. Description: Limit on emissions of particulate matter to 0.12 pounds per MMBTU of fuel input	N/A
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: According to an analysis of the facility by Ventura County Air Pollution Control District using Rule 57.B dated December 3, 1997 periodic monitoring is not necessary to demonstrate compliance with Rule 57.1 Compliance with other conditions of this permit is sufficient to ensure compliance with Rule 57.1.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Rule 64	D. Frequency of monitoring:
B. Description: Sulfur Content of Fuels	Periodic
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: Compliance with Rule 64.B.1 is demonstrated by the fact that P.U.C. regulated natural gas is the only gaseous fuel combusted at this facility. Compliance with Rule 64.B.2 is demonstrated by the fact that the diesel fuel and reformulated gasoline combusted at this facility are California Air Resources Board certified. All of these fuels comply with the 0.5% sulfur content limits of Rule 64. Supporting document for purchase of CARB certified diesel is included in Appendix 7. All of the fuels complied with the 0.5% sulfur content limits of Rule 64 during the compliance period.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District


ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2003), Condition No. 1</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Surface Cleaning and Degreasing -- Solvent ROC and/or Vapor Pressure</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with ROC and vapor pressure limits is ensured by the fact that all solvents must be approved by Environmental Division Air Quality Program (EDAQP) staff before they can be issued and used by any Naval Base Ventura County (NBVC) entity or tenant organization aboard NBVC.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2003), Condition Nos. 2 through 7</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Conditions relating to solvent handling procedures</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with Conditions 2 through 7 of Attachment 74.6 is verified by means of routine surveillance of solvent activities that are carried out by EDAQP staff during routine visits to subject facilities.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2003), Condition No. 8</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Equipment and work practice requirements applicable to all cold cleaners (except remote reservoir type) -- Measurement of freeboard height, verification of initial boiling point, ROC content, and ROC composite partial pressure.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Routine inspection of solvent activities that are carried out by EDAQP staff confirmed that no non-remote reservoir cold cleaners exist.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2003), Condition No. 9</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Equipment and work practice standards as applicable to remote reservoir cold cleaners -- Measurement of freeboard height, verification of initial boiling point, ROC content, and ROC composite partial pressure</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Ongoing investigation has determined that all remote reservoir cold cleaners have either been removed from service or replaced with units that use either aqueous cleaning solutions or non-ROC solvents.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2003), Condition No. 10</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Conditions related to cold cleaning operation</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with Condition 10 of Attachment 74.6 is verified by means of routine surveillance carried out by EDAQP staff during routine visits to subject facilities.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.6 (2003), Condition Nos. 14 and 16</p>	<p>D. Frequency of monitoring: Periodic</p>
<p>B. Description: Recordkeeping requirements associated with surface cleaning and degreasing and routine surveillance to comply with Rule 74.6</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Compliance with the requirement to maintain a current material list showing the name, ROC and vapor pressure, and intended uses of each solvent material is accomplished by means of a database that records each issuance of a solvent material to any operation aboard NBVC. For each issuance of material, this database contains a reference to the applicable SDS sheet. The database also contains references to the recipient of the material, and ultimately to the screening sheet, which is the document that approved the material, and describes all intended uses. In addition, EDAQP staff performs routine inspection of the applicable solvent cleaning activities to ensure compliance with Rule 74.6.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.11</p>	<p>D. Frequency of monitoring: Upon Installation</p>
<p>B. Description: Natural gas-fired water heaters rated at less than 75,000 BTU/hr installed after July 1, 2010</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Through the Public Works Project Review Board, installers of natural gas-fired water heaters are required to comply with conditions of Ventura County Air Pollution Control District Rule 74.11. In addition, a Standard Operating Procedure (SOP) was developed and implemented by the Environmental Division Air Quality Program (EDAQP). The SOP requires the installers of water heaters to obtain a copy of the certification document from the seller or manufacturer and submit it to the EDAQP for review and approval prior to purchase. Appendix C includes the result of a limited survey of natural gas-fired water heaters rated at less than 75,000 BTU/hr installed during this compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 210 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.11.1</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Natural gas-fired large water heaters and small boilers, steam generators and process heaters with a rated heat input capacity greater than 75,000 BTU/hr and less than or equal to 1,000,000 BTU/hr</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: Through the Public Works Project Review Board, installers of natural gas-fired large water heaters, small boilers, steam generators, and process heaters are required to comply with conditions of Ventura County Air Pollution Control District Rule 74.11.1. In addition a Standard Operating Procedure (SOP) was developed and implemented by the Environmental Division Air Quality Program (EDAQP) which requires the purchasers or installers of such devices to obtain certification documents from the seller or manufacturer and submit them to the EDAQP for review and approval. Appendix C includes the result of a limited survey of natural gas-fired water heaters rated at greater than 75,000 BTU/hr and less than or equal to 1,000,000 BTU/hr installed during this compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.22</p>	<p>D. Frequency of monitoring:</p> <p style="margin-left: 20px;">Routine</p>
<p>B. Description:</p> <p>Natural Gas-Fired Fan-Type Central Furnaces</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable</p> <p>N/A</p>
<p>C. Method of monitoring:</p> <p>Through the Public Works Project Review Board, installers of natural gas-fired fan-type central furnaces are required to comply with conditions of Ventura County Air Pollution Control District Rule 74.22. In addition, a Standard Operating Procedure (SOP) was developed and implemented by the Environmental Division Air Quality Program (EDAQP) which requires the purchasers or installers of natural gas-fired fan-type furnaces to obtain certification documents from the seller or manufacturer and submit it to the EDAQP for review and approval.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.1, Condition No. 1</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Requirement that abrasive blasting of moveable items take place within a permanent building</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: As a Navy policy, all abrasive blasting of moveable items must take place within an abrasive blast room or an abrasive blast cabinet equipped with a dust control device. Routine surveillance of abrasive blasting operations is conducted to verify compliance.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.1, Condition No. 2</p>	<p>D. Frequency of monitoring: Per Operation</p>
<p>B. Description: Requirement that permissible outdoor blasting take place using approved methods</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All projects that involve permissible outdoor blasting are required to go through the Public Works Project Review Board. Such projects are reviewed by a member of the Environmental Division Air Quality Program (EDAQP) to ensure compliance with Rule 74.1.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.1, Condition Nos. 3 and 4</p>	<p>D. Frequency of monitoring: Per Operation</p>
<p>B. Description: Requirements for the blasting of pavement and stucco</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: All projects that involve blasting of pavement and stucco are required to go through the Public Works Project Review Board. All such projects reviewed by a member of EDAQP to ensure compliance with Rule 74.1.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 74.1, Condition No. 7	D. Frequency of monitoring:
B. Description: Requirement to monitor each abrasive blasting operation and keep records associated with permissible outdoor blasting	Per Operation
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: EDAQP requires all contractors to follow Rule 74.1 when conducting outdoor abrasive blasting operations. Contractors are required to submit the records specified in Condition 7 of Attachment 74.1 to the Environmental Division.	F. Currently in Compliance? (Y or N): <u>Y</u>
	G. Compliance Status? (C or I): <u>C</u>
	H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.2, Condition Nos. 1 and 2</p>	<p>D. Frequency of monitoring: Per Operation</p>
<p>B. Description: VOC content limits for flat, nonflat, nonflat-high gloss, specialty, and industrial maintenance architectural coatings</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The Naval Base Ventura County (NBVC) Public Works Project Review Board requires contractors who perform architectural coating operations at NBVC to comply with the VOC limits of Ventura County Air Pollution Control District (VCAPCD) Rule 74.2.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.2, Condition No. 3</p>	<p>D. Frequency of monitoring: Routine</p>
<p>B. Description: Requirement that all the architectural coating are applied directly from the containers, and any VOC-containing materials used for thinning and cleanup be stored in closed containers when not in use.</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The NBVC Public Works Project Review Board requires contractors to comply with conditions of VCAPCD Rule 74.2. In addition, hazardous material storage areas and coating operations are routinely inspected by the Environmental Division Air Quality Program (EDAQP).</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>

<p>A. Attachment # or Permit Condition #: Attachment 74.2, Condition No. 4</p>	<p>D. Frequency of monitoring: Per Operation</p>
<p>B. Description: Requirement to comply with the architectural coating VOC limits specified in Rule 74.2.B.1</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: The Public Works Project Review Board requires contractors who perform architectural coating operations at NBVC to comply with the VOC limits of VAPCD Rule 74.2.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 74.2, Condition No. 5	D. Frequency of monitoring:
B. Description: Requirement to monitor each architectural coating operation, specify VOC compliant architectural coatings, and to maintain VOC records for the coatings used.	Per Operation
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: The Public Works Project Review Board requires contractors who perform architectural coating operations at NBVC to comply with the VOC limits of VCAPCD Rule 74.2. The VOC records of architectural coatings are kept by EDAQP.	F. Currently in Compliance? (Y or N): <u>Y</u>
	G. Compliance Status? (C or I): <u>C</u>
	H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

<p>A. Attachment # or Permit Condition #: Attachment 74.4</p>	<p>D. Frequency of monitoring: Per Operation</p>
<p>B. Description: Short-term cutback asphalt activities</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: No cutback asphalt activities took place during the compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u></p> <p>*If yes, attach Deviation Summary Form</p>



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 74.27	D. Frequency of monitoring:
B. Description: Short-term gasoline and ROC liquid storage tank degassing operations	Per Operation
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: Through the Public Works Project Review Board, the Environmental Division Air Quality Program (EDAQP) staff is notified of any planned large projects that may involve emissions of air contaminants. The EDAQP staff reviews the applicability of air regulations to the project and inspects the activities, as needed.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: Attachment 74.28	D. Frequency of monitoring:
B. Description: Short-term asphalt roofing operations	Per Operation
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: Through the Public Works Project Review Board, Environmental Division Air Quality Program (EDAQP) staff is notified of any planned large projects that may involve emissions of air contaminants. The EDAQP staff reviews the applicability of air regulations to the project and inspects the activities, as needed.	F. Currently in Compliance? (Y or N): <u>Y</u>
	G. Compliance Status? (C or I): <u>C</u>
	H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)


<p>A. Attachment # or Permit Condition #: Attachment 74.29</p>	<p>D. Frequency of monitoring: Per Operation</p>
<p>B. Description: Short-term soil decontamination operations</p>	<p>E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A</p>
<p>C. Method of monitoring: No short-term soil decontamination activities occurred at the Naval Base Ventura County Port Hueneme site during this compliance certification period.</p>	<p>F. Currently in Compliance? (Y or N): <u>Y</u></p> <p>G. Compliance Status? (C or I): <u>C</u></p> <p>H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form</p>



ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: 40CFR61.M	D. Frequency of monitoring:
B. Description: Short-term asbestos demolition or renovation activities - requirements for inspection, notification, removal, and disposal procedures	Periodic
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: All short-term demolition and renovation activities undertaken at Naval Base Ventura County (NBVC) are performed by contractors. The Public Works Department at NBVC requires contractors to meet all inspection, notification, removal, and disposal requirements of Attachment 40 CFR 61.M as a condition of contract. In addition, the NBVC Asbestos Program Manager routinely monitors asbestos abatement contractor activity, and ensures that all requirements for inspection, notification, removal, and disposal are met as required.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 210 (MM/DD/YY)

A. Attachment # or Permit Condition #: General Part 70 Permit	D. Frequency of monitoring:
B. Description: General Part 70 Permit Requirements	Periodic
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: Naval Base Ventura County Environmental Division personnel have conducted regular inspections of permitted sources, retained records as required, and reviewed records for compliance.	F. Currently in Compliance? (Y or N): <u>Y</u>
	G. Compliance Status? (C or I): <u>C</u>
	H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: General Permit to Operate	D. Frequency of monitoring:
B. Description: General Permit to Operate conditions	Periodic
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: Routine inspections by Environmental Division Air Quality Program staff ensure that permits are posted and other general permits to operate conditions are complied with.	F. Currently in Compliance? (Y or N): <u>Y</u>
	G. Compliance Status? (C or I): <u>C</u>
	H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form




Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: 40CFRPart 68	D. Frequency of monitoring:
B. Description: Accidental Release Prevention and Risk Management Plans	N/A
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: No substances regulated by the California Accidental Release Prevention (ARP) Program or the federal Risk Management Plan (RMP) were contained in a process in a quantity that exceeded the respective threshold for California ARP Program or federal RMP.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION PERMIT ATTACHMENT FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Attachment # or Permit Condition #: 40CFR82	D. Frequency of monitoring:
B. Description: Protection of stratospheric ozone.	Periodic
	E. Source test reference method, if applicable. Attach Source Test Summary Form, if applicable N/A
C. Method of monitoring: Naval Base Ventura County (NBVC) Port Hueneme has an established Ozone Depleting Substances (ODS) management policy and maintains records of all ODS procured, utilized and recovered from units subject to the record keeping requirements of 40 CFR Part 82, Subpart F. NBVC also verifies all technician certifications, utilizes compliant ODS recovery equipment, follows safe disposal protocols for ODS, adheres to all ODS evacuation requirements, and follows leak detection and management protocols outlined in 40 CFR Part 82.	F. Currently in Compliance? (Y or N): <u>Y</u> G. Compliance Status? (C or I): <u>C</u> H. *Excursions, exceedances, or other non-compliance? (Y or N): <u>N</u> *If yes, attach Deviation Summary Form

Appendix A

NBVC Port Hueneme Supporting Documentation for Use of Compliant Fuel

EMERGENCY RESPONSE GUIDE AND OTHER INFORMATION
 For Product Emergencies: Spill, Leak, Fire, Exposure or Accident
 Driver/Ship Call CHEMTREC 1-800-424-9343
 24 HOURS

B I L L O F L A D I N G 3540320
 FOLIO NUMBER: 02014

Shipping Origin: 23645 S WILMINGTON AVE
 CARSON, CA 90810 CA
 EPA ULSD REG#: 431261254

Customer: 0012729726 Account: 0006962224
 FALCON FUELS INC

Vehicle/Unit Number: 71
 EXPIRATION DATE: 05/30/21
 TRAILER CERT. NO.: 203127

Consignee/Deliver to: PARAMOUNT CA 90723-4000
 FALCON FUELS INC
 ANYWHERE
 ANYWHERE CA 00000-0000
 SUPPLIER: SHELL TRADING US (RD/B99)

Freight: COLLECT

Load Start Date	02/18/21	02:50
Load End Date	02/18/21	03:12

FN	PRODUCT	QUANTITY/UNIT
1	NP MV (S-15PPM) R95B5 NOX 374 GAL B99 @ 51.2 F 28.9 GRAV 7126 GAL R99 HDRD @ 58.9 F 49.2 GRAV	7500 GAL GROSS 7505 GAL *
TOTAL		7500 GAL GROSS 7505 GAL NET

Distillates 15 PPM SULFUR MOTOR VEHICLE DIESEL FUEL
 THIS PRODUCT IS 15 PPM SULFUR (MAXIMUM) UNDYED ULTRA-LOW SULFUR FUEL. FOR USE
 IN ALL DIESEL VEHICLES AND ENGINES. THIS DISTILLATE MEETS ALL FEDERAL AND
 STATE REQUIREMENTS FOR ON-ROAD (ON-HIGHWAY) MOTOR VEHICLE USE UNDER
 CALIFORNIA CARB DIESEL REGULATIONS. NON-DYED DIESEL FUEL, NO VISIBLE
 EVIDENCE OF DYE. THIS PRODUCT CONTAINS BETWEEN 95 AND
 100% VOLUME OF BIO-MASS BASED RENEWABLE DIESEL.
 Renewable diesel - This volume of neat or blended and intended for use
 renewable diesel is designated as transportation fuel, heating oil or jet
 fuel in the 48 U.S. contiguous states and Hawaii. Any person exporting this
 fuel is subject to the requirements of 40 CFR 80.1430.
 THIS PRODUCT CONTAINS UPTO 5% VOLUME BIODIESEL.
 Biodiesel - This volume of neat or blended biodiesel is designated and
 intended for use as transportation fuel, heating oil or jet fuel in the
 48 U.S. contiguous states and Hawaii. Any person exporting this fuel is
 subject to the requirements of 40 CFR 80.1430.
 Effective with EPA Streamlining Distillates
 Exempt diesel or distillate fuel under subpart G of this part (CARB Diesel)
 California diesel fuel. 15 ppm sulfur. For use in all diesel vehicles and
 engines. This distillate meets all federal and state requirements for
 on-road (on-highway) motor vehicle use under California CARB diesel
 regulations. This product contains between 95 and
 100% volume of bio-mass based renewable diesel.
 This volume of neat or blended renewable diesel is designated and
 intended for use as transportation fuel, heating oil or jet fuel in the 48
 U.S. contiguous states and Hawaii. Any person exporting this fuel is
 subject to the requirements of 40 CFR 80.1430.
 This product contains up to 5 % volume of biodiesel.
 This volume of neat or blended biodiesel is designated and intended
 for use as transportation fuel, heating oil or jet fuel in the 48 U.S.
 contiguous states and Hawaii. Any person exporting this fuel is subject
 to the requirements of 40 CFR 80.1430. Non-dyed diesel fuel, No visible
 evidence of dye.
 EPA Registration # - 4294 For complete Health and Physical Safety
 hazard information, please refer to the SDS.

Shipper: SHELL TRADING US (RD/B99)	This is to certify that the above named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.	Total Collected: By:
Driver: CANALES, MANUEL Carrier: Alliance Petroleum Transport Inc 2919 Tweedy BLVD South Gate CA 90280		Carrier Certifies that the container supplied for this shipment is a proper container for transportation of the Products as above described and driver acknowledges Emergency Response Guide Information received on reverse side of this document.
		Driver/Agent Signature: _____

HMFRN		Dangerous Goods Description		EPA REGISTRATION # - 4294	
FALCON FUELS INC		FOLIO NUMBER: 03014		Shipping Origin: 20945 S WILMINGTON AVE CAPSON, CA 90210 EPA ULSD REG#: 431281223	
Customer: 0012729726		Account: 0007020298		Vehicle/Unit Number: 71 EXPIRATION DATE: 09/30/21 TRAILER CERT. NO.: 203127	
Consignee/Deliver to:		PARAMOUNT CA 90723-4000		Freight: COLLECT	
FALCON FUELS INC		ANYWHERE		Load Start Date: 03/18/21 08:01	
ANYWHERE		CA 00000-0000		Load End Date: 03/18/21 08:25	
SUPPLIER: SHELL TRADING US (RD/B99)					
FN	PRODUCT	QUANTITY/UNIT			
1	NP MV (S-15PPM) R95B5	7496 GAL GROSS	7515 GAL *		
	371 GAL B99 @ 55.5 F 28.9 GRAV				
	7125 GAL R99 HDRD @ 55.1 F 49.2 GRAV				
TOTAL		7496 GAL GROSS	7515 GAL NET		
EPA Registration # - 4294 For complete Health and Physical Safety hazard information, please refer to the SDS.					
Shipper: SHELL TRADING US (RD/B99)		This is to certify that the above named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.		Total Collected: By:	
Driver: CANALES, MANUEL Carrier: Alliance Petroleum Transport Inc 2919 Tweedy BLVD South Gate CA 90280				Carrier Certifies that the container supplied for this shipment is a proper container for transportation of the Products as above described and driver acknowledges Emergency Response Guide Information received on reverse side of this document.	
				Driver/Agent Signature: _____	

UNIT NO.	PRODUCT DESCRIPTION	QUANTITY	UNIT	NET WEIGHT	NET VOLUME						
X 1	UNLEADED REGULAR FUEL, 89 OCT	7498 GAL	GROSS								
BILL OF LADING FOLIO NUMBER: 00006		Shipping Origin: Shell - Carson 20945 S WILMINGTON AVE. CARSON, CA 90746 EPA ULSD REG#: 431281283									
Consignor: 0012729728 FALCON FUELS INC PARAMOUNT CA 90723-4000		Vehicle/Unit Number: 71 EXPIRATION DATE: 09/30/21 TRAILER CERT. NO.: 203127									
Consignee/Deliver to: FALCON FUELS INC ANYWHERE ANYWHERE CA 00000-0000 SUPPLIER: SHELL TRADING US (RD/B99)		Freight: <table border="1"> <tr> <td>Load Start Date</td> <td>05/07/21</td> <td>03:51</td> </tr> <tr> <td>Load End Date</td> <td>05/07/21</td> <td>04:17</td> </tr> </table>				Load Start Date	05/07/21	03:51	Load End Date	05/07/21	04:17
Load Start Date	05/07/21	03:51									
Load End Date	05/07/21	04:17									
FN	PRODUCT	QUANTITY/UNIT									
1	NP MV (S-15PPM) R95B5	7498 GAL	GROSS	7471 GAL	NET						
	373 GAL B99 @ 74.5 F 29.8 GRAV										
	7125 GAL R99 HDRD @ 66.1 F 49.2 GRAV										
TOTAL		7498 GAL	GROSS	7471 GAL	NET						

EPA Registration # - 4294 For complete Health and Physical Safety hazard information, please refer to the SDS.

Shipper: SHELL TRADING US (RD/B99)	This is to certify that the above named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.	Total Collected: _____ By: _____
Driver: CANALES, MANUET. Carrier: Alliance Petroleum Transport Inc 2919 Tweedy BLVD South Gate CA 90280		Carrier Certifies that the container supplied for this shipment is a proper container for transportation of the Products as above described and driver acknowledges Emergency Response Guide information received on reverse side of this document.
		Driver/Agent Signature: _____



1820 LUGGER WAY • LONG BEACH, CA 90801 • 562-408-8334

CAUTION: SEE REVERSE SIDE FOR HAZARD WARNING

BILLING ADDRESS:

Falcon Fuels Contract
7300 Alondra Blvd Suite 204
P.O. Box 347
Paramount, CA 90723

SHIPPING ADDRESS:

Falcon Fuels Contract
7300 Alondra Blvd Suite 204
P.O. Box 347
Paramount, CA 90723

DATE SHIPPED	TIME IN	TIME OUT	Trailer License Plate	SHIPPED FROM	Truck License Plate	CUSTOMER NO.	BLK NO.
09/16/21	04:27	04:52	CA 4RS4033	1820 LUGGER WAY • LONG BEACH CA	CA 9G40968	CA 315600 ***	853098
CARRIER CODE	CARRIER NAME		DRIVER NO.	VEHICLE I.D.		CUSTOMER EMERGENCY PLAN	
	Alliance Petroleum Transport		236001	9-- 19			

PRODUCT DESCRIPTION	ADD*	TEMP	GRAV	GROSS GAL	NET GAL
CARB DIESEL FOR USE IN THE LA BASIN May contain up to 4.9% Bio-Diesel.		82.0	37.6	7,604	7,525
*ADDITIVE INJECTED (OUNCES)	TOTAL	→		7,604	7,525

D.O.T. HAZARDOUS MATERIAL DESCRIPTION: na 1993, DIESEL FUEL, 3, PG III 7,604 Gross

2 Cargo Tanks

PO #:

MESSAGES

Petro-Diamond Incorporated EPA registration # 4088.
ChemTel Contract # MIS0004859

Gasoline and diesel fuel meet all CARB & EPA requirements.

This is to certify that the above named materials are properly classified, described, packaged, marked, and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

Carrier certifies that the cargo tank supplied for this shipment is a proper container for the transportation of this commodity. If this shipment moves, in other than shipper's vehicle, the terms will be those (a) of the contract between shipper and carrier or (b) the terms of the lawfully applicable tariffs if the carrier is a common carrier.

TRANSPORTATION EMERGENCY
Call CHEMTEL

1-800-255-3924

24 hours a day, 7 days a week

Manuel De Jesus Perlas Canales

(DRIVER NAME)

(DRIVER SIGNATURE)

THIS SHIPPING ORDER



1920 LUGGER WAY • LONG BEACH, CA 90801 • 562-410-1111

CAUTION: SEE REVERSE SIDE FOR HAZARD WARNING

BILLING ADDRESS:
Falcon Fuels Contract
7300 Alondra Blvd Suite 204
P.O. Box 347
Paramount, CA 90723

SHIPPING ADDRESS:
Falcon Fuels Contract
7300 Alondra Blvd Suite 204
P.O. Box 347
Paramount, CA 90723

DATE SHIPPED 12/28/21	TIME IN 04:11	TIME OUT 04:37	Trailer License Plate 1920 LUGGER WAY • LONG BEACH CA	SHIPPED FROM 1920 LUGGER WAY • LONG BEACH CA	Truck License Plate CA 4RS4034	CUSTOMER NO CA 315600 ***	BILL TO 869016
CARRIER CODE	CARRIER NAME Alliance Petroleum Transport		DRIVER NO 236006	VEHICLE NO 81--0		CUSTOMER EMERGENCY PHONE	

PRODUCT DESCRIPTION	ADD*	TEMP	GRAV	GROSS GAL:	NET GAL	
CARB DIESEL FOR USE IN THE LA BASIN May contain up to 4.9% Bio-Diesel.		63.8	37.0	7,604	7,592	
*ADDITIVE INJECTED (OUNCES)				TOTAL →	7,604	7,592

D.O.T. HAZARDOUS MATERIAL DESCRIPTION
na 1993, DIESEL FUEL, 3, PG III 7,604 Gross

1 Cargo Tank

PO #:

MESSAGES
Petro-Diamond Incorporated EPA registration # 4088.
ChemTel Contract # MIS0004859

Gasoline and diesel fuel meet all CARB & EPA requirements.

This is to certify that the above — named materials are properly classified, described, packaged, marked, and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

X

Carrier certifies that the cargo tank supplied for this shipment is a proper container for the transportation of this commodity. If this shipment moves, in other than shipper's vehicle, the terms will be those (a) of the contract between shipper and carrier or (b) the terms of the lawfully applicable tariffs if the carrier is a common carrier.

TRANSPORTATION EMERGENCY
Call CHEMTEL
1-800-255-3924
24 hours a day, 7 days a week

Lionel Betancourt Enciso

(DRIVER NAME)

(DRIVER SIGNATURE)

Fuel Lab Test Results

ANALYSIS OF: 9140-00-273-2377 FUEL OIL, NAVAL,
DISTILLATE F76

DATE PRINTED: 05/06/2021 14:43:06

FROM: NAVSUP FLEET LOGISTICS CENTER SAN DIEGO
Petroleum Laboratory B-70A
199 Rosecrans Street
San Diego, CA 92106

TO: PORT HUENEME, CA
NCBC PORT HUENEME
PORT SERVICES (CODE 63b)
PORT HUENEME CA 93043

LAB SAMPLE NO.
2650261

SOURCE OF SAMPLE (Truck, tank, Aircraft, etc)
KAGWEST 2111 PORT HUENEME COMP 1-4

DATE SAMPLED
May 6, 2021, 2:37 PM

DATE RECEIVED
May 6, 2021, 2:37 PM

DATE TESTS COMPLETE
May 6, 2021, 2:38 PM

PRODUCT CODE
F76

TEST TYPE
F76-C

BATCH NO

SAMPLE AMOUNT

REPRESENTED AMOUNT

SAMPLE RECEIVED AT
PTLOMA

SAMPLE TAKEN BY

REF(A)
MIL-DTL-16884N

REF(B)
MIL-STD-3004D

PRODUCT AS REPRESENTED BY SAMPLE MEET: ON SPEC

SPEC. LIMITS OF REF(A)? YES

USE LIMITES OF REF(B)? YES

MARKING	LIMITS OF REF(A) & REF(B)	RESULTS	METHOD NO
APPEARANCE	C & B	C & B	D4176
COLOR, ASTM	3 MAX.	L 0.5	D1500
GRAVITY, API @60°F	REPORT	39.9	D1298
FLASH POINT, PMCC, °C	60 MIN	66	D93
WATER & SEDIMENT, VOL %	0.05 MAX		D2709
DENSITY, KG/M3 @15°C	876 MAX	824.9	D1298

REMARKS:

SOURCE: TANK 7

SUBMITTED BY:
FOWLERR

ASSIGNED TECH:

APPROVED BY DIRECTION:
FOWLERR
Supervisory Chemist

Appendix B

NBVC Port Hueneme Tune up/Emission Screening Summary Forms

TABLE 1-3. NBVC BOILER RESULTS SUMMARY (10 FEBRUARY 2021)

Parameter	Units	Bldg. 2	VCAPCD Rule Limit	Status
Date		10 February		
O ₂	%	15.21	-	-
NO _x	ppm@3%O ₂	20.96	30	Pass
	lb/hr	0.028	-	-
CO	ppm@3%	40.67	400	Pass
	lb/hr	0.033	-	-



Ventura County
Air Pollution
Control District

ANNUAL COMPLIANCE CERTIFICATION

SOURCE TEST SUMMARY FORM

Period Covered by Compliance Certification: 01 / 01 / 21 (MM/DD/YY) to 12 / 31 / 21 (MM/DD/YY)

A. Emission Unit Description: 1- 1.825 MMBTU/hr Laars Boiler Model PH1825EN21KNAC equipped with Low-NOx Burner (Building 2)			B. Pollutant: NOx
C. Measured Emission Rate: 20.96 ppm	D. Limited Emission Rate: 30 ppm	E. Specific Source Test or Monitoring Record Citation: Source Test Report, Multi-Media Environmental Compliance Group Contract No. N62470-19-D-4010 Submitted February 15, 2021	F. Test Date: February 10, 2021

A. Emission Unit Description: 1- 1.825 MMBTU/hr Laars Boiler Model PH1825EN21KNAC equipped with Low-NOx Burner (Building 2)			B. Pollutant: CO
C. Measured Emission Rate: 40.67 ppm	D. Limited Emission Rate: 400 ppm	E. Specific Source Test or Monitoring Record Citation: Source Test Report, Multi-Media Environmental Compliance Group Contract No. N62470-19-D-4010 Submitted February 15, 2021	F. Test Date: February 10, 2021

TUNE-UP REPORT

Company: Navy Base V.C.

Test Date: 3/2/21

Address: Boiler School

Port Huenehue

Contact: ERIC ANDERSON


Equipment: HURST Boiler

Telephone: 805 989 3210
218 805-218-1840

Firing Rate: 70%

PARAMETERS	NORMAL	+1-2% O ₂	O ₂ DECREASES			FINAL RATE
Stack Temperature	226.9	207.7	235.8	307	370	301
Oxygen Conc. %	6.7	9	5.4	4.5	3.6	6.3
CO Conc. PPM	4	3	302	307	370	11
Stack Smokes	∅	∅	1	2	4	∅
Flame Condition	YELLOW STABLE	SAME	SAME	DARK STABLE	DARK LAZY	YELLOW STABLE

Gaseous Fuel: O₂/CO Curve / Liquid Fuel: O₂/Smoke Spot Curve



Response to load changes: SAT O₂ 70%

Response to quick changes: SAT

Comments: BOILER WAS TESTED ON #2014 IN ACCORDANCE WITH RULE 74.15.1 ATTACH. #1

Don

TND BLR 525

Model E4500-N
Serial number 10902
Client USAF
Client address 344 TRS/DET 1
Port Hueneme
CA

Deicer 06C00903
Permit Number 1006

Altitude ft 0
Air relative humidity % 50
Fuel #2 Oil

Date 3/10/2021
Time 8:03:57 AM
O2 % 5.7
CO ppm 789
CO2 % 10.5
NOx ppm 110.2
CO (3.0%) ppm 929
NO (3.0%) ppm 129.7
NO2 (3.0%) ppm 0.1
NOx (3.0%) ppm 129.8
NO2 ppm 0.1
NO ppm 110.1
T gas °F 948.9
T air °F 74.5
Draft inH2O 0.265
 ΔT °F 874.4
Exc. air % 38
Pressure inH2O 0.265
 λn 1.37
Eff. sens (LHV) % 77.0
Eff. cond (LHV) % 0.0
Eff. tot (LHV) % 77.0
Loss sens (LHV) % 23.0

Model E4500-N
Serial number 10902
Client USAF
Client address 344 TRS/DET 1
Port Hueneme
CA

Deicer 07C395
Permit Number 1006

Altitude ft 0
Air relative humidity % 50
Fuel #2 Oil

Date 3/10/2021

Time 7:54:25

O2 % 6.2

CO ppm 559

CO2 % 10.2

NOx ppm 102.9

CO (3.0%) ppm 681

NO (3.0%) ppm 125.2

NO2 (3.0%) ppm 0.1

NOx (3.0%) ppm 125.3

NO2 ppm 0.1

NO ppm 102.8

T gas °F 896.9

T air °F 75.4

Draft inH2O 0.341

ΔT °F 821.5

Exc. air % 42

Pressure inH2O 0.341

λn 1.42

Eff. sens (LHV) % 77.8

Eff. cond (LHV) % 0.0

Eff. tot (LHV) % 77.8

Loss sens (LHV) % 22.2

Naval Base Ventura County Boiler Emission Screening Report					
Boiler					
Location: Port Hueneme		Bldg: 1479-1		Permit: 1006	
Make: Lochinvar		Model: CFN1442PM		Rating: 1.44 MMBTU/Hr	
Analyzer					
Make: Testo		Model: 330-1LX		Cal. Date: 8/15/2020	
Screening					
Date: 3/15/2021		Time: 0820		Weather: Cloudy/Raining	
Raw data			@ 3% O2		Notes: PASS
O2 %	CO ppm	Nox ppm	CO ppm	Nox ppm	
11.3	77	9	143	10	
	Limit		400	20	

31

testo 330-1
V2.20 03241694/USA

03/15/2021 08:28:21

Location
SITE
Combustion Type
2nd combustion type
ADDRESS

Fuel: Natural Gas
O2ref. 3.0 %
CO2 Max: 11.7 %

Combustion test

232.7	°F	Temp. stack
11.3	%	Oxygen
77	ppm	CO
143	ppm	cCO
9	ppm	NOx
3.0	%	NO2 addition
104.1	%	Excess air
84.7	%	Eff. gross
5.39	%	CO2
70.2	°F	Ambient temp
9	ppm	NO

Naval Base Ventura County Boiler Emission Screening Report					
Boiler					
Location: Port Hueneme		Bldg: 1479-2		Permit: 1006	
Make: Lochinvar		Model: CFN1442PM		Rating: 1.44 MMBTU/Hr	
Analyzer					
Make: Testo		Model: 330-1LX		Cal. Date: 8/15/2020	
Screening					
Date: 3/16/2021		Time: 1301		Weather: Clear	
Raw data			@ 3% O2		Notes: PASS
O2 %	CO ppm	Nox ppm	CO ppm	Nox ppm	
6.5	30	12	37	15	
	Limit		400	20	



1479 domestic water 2

Appendix C

**NBVC Port Hueneme
Formal Surveys
&
Engines Hours of Operations**

**NBVC Port Hueneme
Stationary Standby Engines
Emergency and Maintenance 12-Month
Rolling Sum Hours of Operation**

**NBVC Port Hueneme Stationary Standby Engines
2021 Emergency Hours of Operation 12-Month Rolling Sum Report**

Permit Description	Model #	Serial #	BLDG	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
285 BHP Cummins	6CTAA8.3-G3	46350107	1000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8
324 BHP Cummins	QSB7-G5-NR3	73759244	1402	0.0	0.0	0.0	0.0	1.1	1.1	1.1	1.1	1.1	1.3	1.3	1.3
464 BHP Cummins	QSL/QSL9-G7 NTR3	1190634556	1412	51.6	51.6	40.7	40.7	40.7	40.7	24.7	24.7	24.7	40.6	40.6	42.6
90 BHP Cummins	4BT3.9-G4	4626695	1440	14.9	14.7	14.7	14.7	14.7	18.2	3.5	3.5	3.5	4.0	4.0	4.0
145 BHP Cummins	QSB5-G3 NR3	73391959	1443	17.3	17.3	17.3	17.3	17.3	17.3	1.8	1.8	1.8	0.3	0.3	0.3
63 BHP Perkins	LD70295	U733229B	1512B	3.4	2.6	2.3	1.7	1.7	1.7	1.7	1.7	1.7	0.0	0.0	0.0
161 BHP Perkins	C4.4	E5G00789	1524	15.0	15.0	15.0	15.0	18.5	18.5	3.5	3.5	3.5	3.5	3.5	3.5
585 BHP Detroit	6V92TA	WA504448	1526	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1490 BHP Cummins	QST30-G5	37235098	2	18.0	18.0	18.0	18.0	18.0	18.0	2.0	2.0	2.0	1.0	1.0	1.0
252 BHP Cummins	6CTAA8.3-G2	46261737	22	17.4	17.4	17.4	17.4	17.4	17.4	1.9	1.9	1.9	0.0	0.0	0.0
56 BHP Cummins	B3.3-G1	6800962	372	17.2	17.2	17.2	17.2	17.2	17.2	1.7	1.7	1.7	0.2	0.2	0.2
435 BHP Cummins	NT855G6	30346676	382	41.9	41.9	41.9	41.9	41.9	41.9	41.9	0.0	0.0	0.2	0.2	0.2
585 BHP Detroit	6V92TA	80637405	437	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
755 BHP Cummins	QSX15-G9	79914017	5035	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.2	4.2	4.2
90 BHP Cummins	4BT3.9-G4	42266702	810	18.8	18.8	18.8	18.8	18.8	18.8	3.2	3.2	3.2	0.1	0.1	0.1
170 BHP Cummins	6BTA5.9-G4	46555763	225	17.4	17.4	17.4	17.4	17.4	17.4	2.1	1.9	1.9	0.3	0.3	0.3
545 BHP Caterpillar	3412-D1	389S5953	527	23.0	23.0	23.0	23.0	23.0	23.0	7.3	7.3	7.3	22.5	15.2	15.2
173 BHP Cummins	QSB5-G13	B200737795	1387	14.6	14.6	14.6	14.6	18.2	18.2	3.6	3.6	3.6	3.8	3.8	3.8
985 BHP Detroit	R 1238A36 2000 G44	5352006058	1388	6.6	6.6	6.6	6.7	3.6	3.6	3.6	3.6	3.7	4.0	4.0	4.6
599 BHP Caterpillar	3406	1LS01484	1388	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	2.0	4.0	4.0	4.0
217 BHP Caterpillar	C-6.6	E6M01866	1300	17.4	17.4	17.4	17.4	17.4	17.4	1.8	1.8	1.8	2.8	2.8	2.8

**NBVC Port Hueneme Stationary Standby Engines
2021 Maintenance Hours of Operation 12-Month Rolling Sum Report**

Permit Description	Model #	Serial #	BLDG	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
285 BHP Cummins	6CTAA8.3-G3	46350107	1000	0.0	0.0	0.0	0.0	0.1	0.3	0.5	0.7	0.7	0.9	1.1	1.1
324 BHP Cummins	QSB7-G5-NR3	73759244	1402	2.9	2.9	2.9	2.9	3.1	2.9	3.4	1.1	1.3	1.3	1.3	4.7
464 BHP Cummins	QSL/QSL9-G7 NTR3	1190634556	1412	9.7	12.9	12.9	14.6	14.6	14.7	13.4	14.9	14.7	14.7	14.7	14.8
90 BHP Cummins	4BT3.9-G4	4626695	1440	1.5	1.7	1.5	1.7	1.7	1.7	1.8	1.8	2.0	2.2	2.1	2.3
145 BHP Cummins	QSB5-G3 NR3	73391959	1443	0.2	0.2	0.2	0.2	0.5	0.5	0.7	0.7	0.9	0.9	1.1	1.1
63 BHP Perkins	LD70295	U733229B	1512B	7.9	8.4	8.4	8.4	13.9	13.6	9.7	9.5	9.7	9.8	9.7	9.2
161 BHP Perkins	C4.4	E5G00789	1524	1.2	1.2	1.0	1.2	1.2	1.2	1.4	1.8	1.8	1.8	1.8	1.8
585 BHP Detroit	6V92TA	WA504448	1526	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1490 BHP Cummins	QST30-G5	37235098	2	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
252 BHP Cummins	6CTAA8.3-G2	46261737	22	0.6	0.6	0.6	0.8	1.0	1.2	1.2	1.2	1.4	1.6	1.6	1.6
56 BHP Cummins	B3.3-G1	6800962	372	1.6	1.8	1.4	1.4	1.4	1.4	1.6	1.6	1.8	1.8	1.8	2.0
435 BHP Cummins	NT855G6	30346676	382	0.6	0.6	0.4	0.4	0.6	0.4	0.4	0.6	0.6	0.8	0.8	0.8
585 BHP Detroit	6V92TA	80637405	437	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
755 BHP Cummins	QSX15-G9	79914017	5035	8.0	8.0	8.0	8.0	8.2	8.2	8.2	8.2	8.4	5.1	2.2	2.2
90 BHP Cummins	4BT3.9-G4	42266702	810	1.0	1.0	0.8	1.0	0.8	0.8	1.0	1.0	1.2	1.2	1.4	1.4
170 BHP Cummins	6BTA5.9-G4	46555763	225	0.9	0.7	0.7	0.9	0.9	0.7	0.6	0.8	0.8	0.8	0.8	0.8
545 BHP Caterpillar	3412-D1	389S5953	527	1.3	1.3	1.1	0.9	0.9	0.9	1.1	1.1	1.1	1.0	0.8	0.8
173 BHP Cummins	QSB5-G13	B200737795	1387	2.4	2.4	2.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
985 BHP Detroit	R 1238A36 2000 G44	5352006058	1388	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
599 BHP Caterpillar	3406	1LS01484	1388	8.0	8.0	6.0	9.0	9.0	9.0	8.0	8.0	9.0	7.0	7.0	6.3
217 BHP Caterpillar	C-6.6	E6M01866	1300	2.2	2.2	1.7	1.7	1.5	8.4	8.4	11.9	11.9	11.9	11.8	11.8

**NBVC Port Hueneme
Stationary Standby Engines
Annual Report Form**

**EMERGENCY DIESEL ENGINE ANNUAL REPORT FORM
REPORTING PERIOD: JANUARY 1 TO DECEMBER 31, 2021
PERMIT NO: 01006 - NAVAL BASE VENTURA COUNTY**

Engine BHP/Make	Engine Model Number	Engine Serial Number	Location	Hour Meter Reading on 1/4/2021	Hour Meter Reading on 1/3/2022	Total M&T Hours in 2021	Total Emergency Hours in 2021	Total Hours in 2021
285 BHP Cummins	6CTAA8.3-G3	46350107	1000	259.5	261.4	1.1	0.8	1.9
324 BHP Cummins	QSB7-G5-NR3	73759244	1402	47.7	53.7	4.7	1.3	6.0
464 BHP Cummins	QSL/QL9-G7 NTR3	1190634556	1412	39.6	97.0	14.8	42.6	57.4
90 BHP Cummins	4BT3.9-G4	4626695	1440	396.2	402.5	2.3	4.0	6.3
145 BHP Cummins	QSB5-G3 NR3	73391959	1443	216.5	217.9	1.1	0.3	1.4
63 BHP Perkins	LD70295	U733229B	1512B	312.4	321.6	9.2	0.0	9.2
161 BHP Perkins	C4.4	E5G00789	1524	50.4	55.7	1.8	3.5	5.3
585 BHP Detroit	6V92TA	WA504448	1526	227.2	227.2	0.0	0.0	0.0
1490 BHP Cummins	QST30-G5	37235098	2	359.0	360.0	0.0	1.0	1.0
252 BHP Cummins	6CTAA8.3-G2	46261737	22	346.8	348.4	1.6	0.0	1.6
56 BHP Cummins	B3.3-G1	6800962	372	337.3	339.5	2.0	0.2	2.2
435 BHP Cummins	NT855G6	30346676	382	207.6	208.6	0.8	0.2	1.0
585 BHP Detroit	6V92TA	80637405	437	324.9	324.9	0.0	0.0	0.0
755 BHP Cummins	QSX15-G9	79914017	5035	237.6	244.0	2.2	4.2	6.4
90 BHP Cummins	4BT3.9-G4	42266702	810	408.7	410.2	1.4	0.1	1.5
170 BHP Cummins	6BTA5.9-G4	46555763	225	249.8	250.9	0.8	0.3	1.1
545 BHP Caterpillar	3412-D1	389S5953	527	238.5	254.5	0.8	15.2	16.0
173 BHP Cummins	QSB5-G13	B200737795	1387	17.0	20.8	0.0	3.8	3.8
985 BHP Detroit	R 1238A36 2000 G44	5352006058	1388	113.6	118.2	0.0	4.6	4.6
599 BHP Caterpillar	3406	1LS01484	1388	299.0	309.3	6.3	4.0	10.3
217 BHP Caterpillar	C-6.6	E6M01866	1300	194.8	209.4	11.8	2.8	14.6

**NBVC Port Hueneme
Portable Engines Operation**

**NBVC Port Hueneme
Opacity Survey**

2021 NBVC Port Hueneme Opacity Survey Result

Equipment Category	Description of Equipment in Permit Table (abbreviated)	Date of Equipment Inspection	Opacity Noted (Y/N)	Operating During Inspection (Y/N)	Comments
Boiler	8.4 MMBTU Superior, Wharf 3	N/A	N/A	N/A	Out of Service during the Compliance period
Boiler	8.4 MMBTU Superior, Wharf 4	N/A	N/A	N/A	Out of Service during the Compliance period
Boiler	2.1 MMBTU Hurst, Building 1419	8/2/2021	N	N	
Boiler	1.825 MMBTU Raypack, Building 2	8/2/2021	N	N	
Boiler	4.8 MMBTU GL--1800 Aircraft Deicer Boiler, Building 1420	8/2/2021	N	N	
Boiler	4.8 MMBTU GL--1800 Aircraft Deicer Boiler, Building 1420	8/2/2021	N	N	
Boiler	1.6 M NCEL burner, Building-1100	8/2/2021	N	N	
Boiler	1.44 MMBTU Lochinvar, Building 1479	8/2/2021	N	N	
Boiler	1.44 MMBTU Lochinvar, Building 1479	8/2/2021	N	Y	
Crane	173 BHP Daimler/Chrysler	8/2/2021	N	N	
Crane	322 BHP Daimler/Chrysler	8/2/2021	N	N	
Sweeper	80 BHP Perkins	N/A	N/A	N/A	Did not operate during the compliance period
Sweeper	134 BHP John Deere	8/2/2021	N	N	
Sweeper	69.7 BHP Yanmar Sweeper Aux	8/2/2021	N	N	
Portable Generator	165 BHP John Deere Diesel Generator, 51-26066	8/2/2021	N	N	PM behind Building 60
Portable Generator	165 BHP John Deere Diesel Generator, 51-26067	8/2/2021	N	N	PM behind Building 60

2021 NBVC Port Hueneme Opacity Survey Result

Equipment Category	Description of Equipment in Permit Table (abbreviated)	Date of Equipment Inspection	Opacity Noted (Y/N)	Operating During Inspection (Y/N)	Comments
Portable Generator	165 BHP John Deere Diesel Generator, 51-26068	8/2/2021	N	N	PM behind Building 60
Portable Generator	165 BHP John Deere Diesel Generator, 51-26069	8/2/2021	N	N	PM behind Building 60
Portable Generator	315 BHP John Deere Diesel Generator, 51-28008	8/2/2021	N	N	PM behind Building 60
Wood Chipper	70.9 BHP Yanmar Diesel Engine	N/A	N/A	N/A	Did not operate during the compliance period
Spray Booth	DeVilbiss Model 20389, Dry, Building 815	N/A	N/A	N/A	Out of Service during the Compliance period
Spray Booth	Spray King Model 300-FAF, Dry, Building 1193	N/A	N/A	N/A	Out of Service during the Compliance period
Spray Booth	Spray King Model 300-FAF, Dry, Building 1193	N/A	N/A	N/A	Out of Service during the Compliance period
Spray Booth	Spray King Model 300-FAF, Dry, Building 1193	N/A	N/A	N/A	Out of Service during the Compliance period
Spray Booth	Spray King Model 300-FAF, Dry, Building 1193	N/A	N/A	N/A	Out of Service during the Compliance period
Spray Booth	Large paint room with filters, 28x19x84, Building 1497	8/2/2021	N	N	
Spray Booth	Small paint room with filters, 28x19x64, Building 1497	8/2/2021	N	N	
Spray Booth	Small paint room (Converted) with filters, 27x20x65, Building 497	8/2/2021	N	N	
Abrasive Blasting	Large blast room, Building 1497	N/A	N/A	N/A	Out of Service during the compliance period
Abrasive Blasting	Clemco blast cabinet, Building 1497	8/2/2021	N	N	
Abrasive Blasting	Clemco blast cabinet, Building 813	8/2/2021	N	N	

2021 NBVC Port Hueneme Opacity Survey Result

Equipment Category	Description of Equipment in Permit Table (abbreviated)	Date of Equipment Inspection	Opacity Noted (Y/N)	Operating During Inspection (Y/N)	Comments
Abrasive Blasting	Clemco blast cabinet, Building 813	8/2/2021	N	N	
Abrasive Blasting	Clemco blast cabinet, Building 813	8/2/2021	N	N	
Emerg. Stationary Engine	285 BHP Cummins diesel generator, Building 1000	12/8/2021	N	N	
Emerg. Stationary Engine	324 BHP Cummins diesel generator, Building 1402	12/28/2021	N	N	
Emerg. Stationary Engine	464 BHP Cummins diesel generator, Building 1412	12/28/2021	N	N	
Emerg. Stationary Engine	90 BHP Cummins diesel generator, Building 1440	12/28/2021	N	N	
Emerg. Stationary Engine	145 BHP Cummins diesel generator, Building 1443	12/8/2021	N	N	
Emerg. Stationary Engine	63 BHP Perkins diesel generator, Building 1512-B	12/6/2021	N	N	
Emerg. Stationary Engine	161 BHP Caterpillar diesel generator, Building 1524	12/28/2021	N	N	
Emerg. Stationary Engine	585 BHP Detroit diesel generator, Building 1526	12/8/2021	N	N	
Emerg. Stationary Engine	1490 BHP cummins diesel generator, Building 2	12/28/2021	N	N	
Emerg. Stationary Engine	252 BHP Cummins diesel generator, Building 22	12/8/2021	N	N	
Emerg. Stationary Engine	56 BHP Cummins diesel generator, Building 372	12/8/2021	N	N	
Emerg. Stationary Engine	435 BHP Cummins diesel generator, Building 382	12/8/2021	N	N	
Emerg. Stationary Engine	585 BHP Detroit diesel generator, Building 437	12/8/2021	N	N	
Emerg. Stationary Engine	755 BHP Cummins diesel generator, Building 5035	12/28/2021	N	N	
Emerg. Stationary Engine	90 BHP Cummins diesel generator, Building 810	12/8/2021	N	N	

2021 NBVC Port Hueneme Opacity Survey Result

Equipment Category	Description of Equipment in Permit Table (abbreviated)	Date of Equipment Inspection	Opacity Noted (Y/N)	Operating During Inspection (Y/N)	Comments
Emerg. Stationary Engine	170 BHP Cummins diesel generator, Building 225	12/8/2021	N	N	
Emerg. Stationary Engine	545 BHP Caterpillar diesel generator, Building 527	12/8/2021	N	N	
Emerg. Stationary Engine	173 BHP Cummins diesel generator, Building 1387	12/28/2021	N	N	
Emerg. Stationary Engine	985 BHP Detroit diesel generator, Building 1388	12/28/2021	N	N	
Emerg. Stationary Engine	599 BHP Caterpillar diesel generator, Building 1388	12/28/2021	N	N	
Emerg. Stationary Engine	217 BHP Caterpillar diesel generator, Building 1300	12/28/2021	N	N	

**NBVC Port Hueneme
Rules 74.11 and 74.11.1 Small Boilers and
Water Heaters Survey**

Appendix D

NBVC Port Hueneme RICE NESHAP Maintenance Records

NAVFAC PORT HUENEME RICE NESHAP MAINTENANCE RECORD

Bldg	Device	Engine Oil Analysis		Engine and Filter Oil Change		Air Cleaner Inspection		Hoses and Belts Inspection	
		Date of Engine Oil Sample Collection	Hour Meter Reading at Time of Engine Oil Sample Collection	Date of Engine Oil and Oil Filter Change	Hour Meter Reading at Time of Engine Oil and Oil Filter Change	Date of Inspection	Hour Meter Reading at Time of Inspection	Date of Inspection	Hour Meter Reading at Time of Inspection
2	1490 BHP Cummins		Post 2006 Construction, Maintenance not Required						
22	252 BHP Cummins	7/9/2021	347.8	7/9/2021	347.8	7/9/2021	347.8	7/9/2021	347.8
225	170 BHP Cummins	N/A	N/A	12/16/2020	249.8	11/10/2020	249.6	11/10/2020	249.6
372	56 BHP Cummins	7/7/2021	338.5	7/7/2021	338.5	7/7/2021	338.5	7/7/2021	338.5
382	435 BHP Cummins	7/12/2021	207.8	7/12/2021	207.8	7/12/2021	207.8	7/12/2021	207.8
430	42 BHP Generac	7/14/2021	99601.2	7/14/2021	99601.2	7/14/2021	99601.2	7/14/2021	99601.2
437	585 BHP Detroit	N/A	N/A	NON OP	NON OP	7/14/2021	324.9	7/14/2021	324.9
527	545 BHP Caterpillar	7/11/2021	238.7	7/11/2021	238.7	7/11/2021	238.7	7/11/2021	238.7
810	90 BHP Cummins	7/14/2021	409.5	7/14/2021	409.5	7/14/2021	409.5	7/14/2021	409.5
1000	285 BHP Cummins	7/12/2021	260.0	7/12/2021	260.0	7/12/2021	260.0	7/12/2021	260.0
1300	217 BHP Caterpillar		Post 2006 Construction, Maintenance not Required						
1388-1	599 BHP Caterpillar	N/A	N/A	1/15/2022	309.3	1/15/2022	309.3	1/15/2022	309.3
1388-2	985 BHP Detroit		Post 2006 Construction, Maintenance not Required						
1402	324 BHP Cummins		Post 2006 Construction, Maintenance not Required						
1440	90 BHP Cummins	7/15/2021	401.0	7/15/2021	401.0	7/15/2021	401.0	7/15/2021	401.0
1443	145 BHP Cummins		Post 2006 Construction, Maintenance not Required						
1524	161 BHP Perkins		Post 2006 Construction, Maintenance not Required						
1526	585 BHP Detroit	N/A	N/A	NON OP	NON OP	7/14/2021	227.2	7/14/2021	227.2
5035	755 BHP Cummins		Post 2006 Construction, Maintenance not Required						

Appendix E

NBVC Port Hueneme Gas Station Dispensing Facilities Verification Testing Results

**NBVC Port Hueneme
E85 Dispensing Facility
Verification Testing Results**



2 Inch Pressure Decay TP201.3

Ref. No.: _____
 .QMD Id: _____
 Site Name: NBVC Port Hueneme
 Address: 1000 23rd Avenue,
Port Hueneme, CA 93041
 Phone: (805) 645-1400
 Phase I System? Dual point - AST
 Phase II System? Balance
 Total # of Nozzles 1
 Products per Nozzle 1

Testing Company

Name: Western Pump, Inc.
 Address: 3235 F Street,
San Diego, CA 92102
 Phone: (619) 239-9988
 Tanks Manifoldded? No
 Vapor Pot Present? No
 Total # of Tanks 1

Tank Information	1	2	3	4	All
1. Product Grade	-E85-				
2. Actual Tank Capacity, gallons	10247				10247
3. Gasoline Volume, gallons	6426				6426
4. Ullage, (V) gallons (line #2 minus line#3)	3821				3821
Test Information	1	2	3	4	5
5. Start time	0915				
6. Initial Test Pressure, inches H ₂ O	2.00				
7. Pressure after 1 minute, inches H ₂ O	2.15				
8. Pressure after 2 minutes, inches H ₂ O	2.26				
9. Pressure after 3 minutes, inches H ₂ O	2.32				
10. Pressure after 4 minutes, inches H ₂ O	2.36				
11. Pressure after 5 minutes, inches H ₂ O	2.42				
12. Allowable Final Pressure	1.90				
13. Pass / Fail (Enter "GF" for Gross failure)	(P)				

2021-10-08
09:00
Digital
2021-08-17
0.00
2
1.255
2.51
0.00
2.09
Vapor Coupler

Requested Test Date.
 Requested Test Time.
 What type of pressure device used?
 Calibration date for pressure device (90 days).
 Enter initial tank ullage pressure (Vent if over 0.5 in. w.c., then start the 30 min no dispensing period)
 Enter flowmeter rate, F(Must be 1 to 5 CFM).
 Calculate ullage fill time, t₂. t₂ = $\frac{V}{[1522]F}$
 Calculate gross failure time (Twice t₂).
 Enter ending value of drift test (Must be 0.01 in. w.c. or less).
 Record Vapor Coupler Integrity Test Assembly pressure after 1 minute and location.
 Nitrogen introduction point. Phase I vapor coupler or Phase II vapor riser?

Tester: Raul Gonzalez
 Signature:

Tester Id: 175860
 Test Date: 2021-10-08



Leak Rate and Cracking Pressure of P/V Vent Valves

Ref. No.: _____
 AQMD Id: _____
 Site Name: NBVC Port Hueneme
 Address: 1000 23rd Avenue,
Port Hueneme, CA 93041
 Phone: (805) 645-1400

Testing Company
 Name: Western Pump, Inc.
 Address: 3235 F Street,
San Diego, CA 92102
 Phone: (619) 239-9988

P/V Valve Manufacturer:	Husky	Model Number:	5885	Pass/Fail:	(P)
Manufacturer Specified Positive Leak Rate (CFH):	0.050	Manufacturer Specified Negative Leak Rate (CFH):			0.210
Measured Positive Leak Rate(CFH)	0.030	Measured Negative Leak Rate (CFH)			0.020
Positive Cracking Pressure (in. H2O)	3.93	Negative Cracking Pressure (in. H2O)			8.64

P/V Valve Manufacturer:		Model Number:		Pass/Fail:	
Manufacturer Specified Positive Leak Rate (CFH):		Manufacturer Specified Negative Leak Rate (CFH):			
Measured Positive Leak Rate(CFH)		Measured Negative Leak Rate (CFH)			
Positive Cracking Pressure (in. H2O)		Negative Cracking Pressure (in. H2O)			

P/V Valve Manufacturer:		Model Number:		Pass/Fail:	
Manufacturer Specified Positive Leak Rate (CFH):		Manufacturer Specified Negative Leak Rate (CFH):			
Measured Positive Leak Rate(CFH)		Measured Negative Leak Rate (CFH)			
Positive Cracking Pressure (in. H2O)		Negative Cracking Pressure (in. H2O)			

P/V Valve Manufacturer:		Model Number:		Pass/Fail:	
Manufacturer Specified Positive Leak Rate (CFH):		Manufacturer Specified Negative Leak Rate (CFH):			
Measured Positive Leak Rate(CFH)		Measured Negative Leak Rate (CFH)			
Positive Cracking Pressure (in. H2O)		Negative Cracking Pressure (in. H2O)			

P/V Valve Manufacturer:		Model Number:		Pass/Fail:	
Manufacturer Specified Positive Leak Rate (CFH):		Manufacturer Specified Negative Leak Rate (CFH):			
Measured Positive Leak Rate(CFH)		Measured Negative Leak Rate (CFH)			
Positive Cracking Pressure (in. H2O)		Negative Cracking Pressure (in. H2O)			

P/V Valve Manufacturer:		Model Number:		Pass/Fail:	
Manufacturer Specified Positive Leak Rate (CFH):		Manufacturer Specified Negative Leak Rate (CFH):			
Measured Positive Leak Rate(CFH)		Measured Negative Leak Rate (CFH)			
Positive Cracking Pressure (in. H2O)		Negative Cracking Pressure (in. H2O)			

Tester: Raul Gonzalez
 Signature:

Tester Id: 175860
 Test Date: 2021-10-08

U.S.NAVAL BASE
1000 23RD AVE
PORT HUENEME CA
30619006505001

OCT 8, 2021 7:37 AM

T 2:F-24 JET FUEL
INVENTORY INCREASE

INCREASE START
SEP 15, 2021 10:10 AM

VOLUME = 652 GALS
HEIGHT = 7.98 INCHES
WATER = 0.00 INCHES
TEMP = 63.4 DEG F

INCREASE END
SEP 15, 2021 10:18 AM

VOLUME = 11612 GALS
HEIGHT = 63.39 INCHES
WATER = 0.00 INCHES
TEMP = 63.8 DEG F

GROSS INCREASE= 10960
TC NET INCREASE= 10940

U.S.NAVAL BASE
1000 23RD AVE
PORT HUENEME CA
30619006505001

OCT 8, 2021 7:37 AM

T 4:E-85
INVENTORY INCREASE

INCREASE START
SEP 15, 2021 10:37 AM

VOLUME = 7515 GALS
HEIGHT = 64.74 INCHES
TEMP = 64.8 DEG F

INCREASE END
SEP 15, 2021 10:53 AM

VOLUME = 10242 GALS
HEIGHT = 93.85 INCHES
TEMP = 67.0 DEG F

GROSS INCREASE= 2727
TC NET INCREASE= 2701

U.S.NAVAL BASE
1000 23RD AVE
PORT HUENEME CA
30619006505001

OCT 8, 2021 7:36 AM

SYSTEM STATUS REPORT
ALL FUNCTIONS NORMAL

INVENTORY REPORT

T 2:F-24 JET FUEL
VOLUME = 11657 GALS
ULLAGE = 8353 GALS
90% ULLAGE= 6352 GALS
TC VOLUME = 11629 GALS
HEIGHT = 63.60 INCHES
WATER VOL = 0 GALS
WATER = 0.00 INCHES
TEMP = 65.0 DEG F

T 3:DIESEL DS-2
VOLUME = 13905 GALS
ULLAGE = 6105 GALS
90% ULLAGE= 4104 GALS
TC VOLUME = 13872 GALS
HEIGHT = 73.83 INCHES
WATER VOL = 0 GALS
WATER = 0.00 INCHES
TEMP = 65.1 DEG F

T 4:E-85
VOLUME = 6426 GALS
ULLAGE = 3821 GALS
90% ULLAGE= 2796 GALS
TC VOLUME = 6403 GALS
HEIGHT = 56.50 INCHES
TEMP = 64.9 DEG F

T 5:DIESEL DS-2
VOLUME = 7239 GALS
ULLAGE = 2993 GALS
90% ULLAGE= 1969 GALS
TC VOLUME = 7221 GALS
HEIGHT = 62.70 INCHES
WATER VOL = 0 GALS
WATER = 0.00 INCHES
TEMP = 65.5 DEG F

* * * * * END * * * * *

**NBVC Port Hueneme
Navy Exchange Gasoline Dispensing Facility
Verification Testing Results**

SUMMARY OF SOURCE TEST DATA

SOURCE INFORMATION		FACILITY PARAMETERS		
GDF Name and Address <hr/> Navy Exchange <hr/> Bldg 797 <hr/> Port Hueneme Ca 93041 <hr/>	GDF Representative and Title GDF Phone No. _____ <p style="text-align: center;">NA</p>	PHASE II SYSTEM TYPE (Check One)		
Permit Conditions	Source: GDF Vapor Recovery System GDF # _____ A/C # _____	Balance Hirt Red Jacket Hasstech Healy X Other Manifolded? Yes		
Operating Parameters				
Number of Nozzels Served by Tank #1	12	Number of Nozzels Served by Tank #3	12	
Number of Nozzels Served by Tank #2	NA	Number of Nozzels Served by Tank #4	NA	
Applicable Regulations:		VN Recommended		
Source Test Results and Comments				
Tank #	1	2	3	4
1. Product Grade	87 T1	NA	91	NA
2. Actual Tank Capacity, gallons	20,078		20,078	
3. Gasoline Volume	11,225		14780	
4. Ullage, gallons (#2,#3)	8853		5298	
5. Initial Pressure, inches H2O	2.00		NA	
6. Pressure After 1 Minute, inches H2O	2.00			
7. Pressure After 2 Minute, inches H2O	2.00			
8. Pressure After 3 Minute, inches H2O	2.00			
9. Pressure After 4 Minute, inches H2O	2.00			
10. Final Pressure After 5 Minute, inches H2O	2.00			
11. Allowable Final Pressure	1.92			
Test Conducted by: Pramdeep Chase		Test Company: PSR Environmental		Date of Test: 11/19/2021

Site:**Testing Company**

Site Name: Navy Exchange
 Address: Bldg 797
Port Hueneme Ca 93041
 Phone: NA

Name: PSR Environmental
 Address: 364 Vanderbilt Dr
Oxnard, Ca 93036
 Phone: (661) 513-8261

Allowable A/L: 0.95-1.15

Test Unit Serial Number: 0435685

CARB EO: VR-202

Test Unit Calibration Date: 7/28/2021

Meter Leak Tests: Pre-Test Leak Check (Pass/Fail): Pass

Note: Bulb must not inflate in

(For TriTester only) Post-Test Leak Check (Pass/Fail): Pass

Pass

less than 30 seconds.

Dispenser Number	Product Grade	Nozzle Model #	V/L	GPM	PASS /FAIL	Comments
1	87	900	1.02	7.50	Pass	
1	89	900	0.98	7.89	Pass	
1	91	900	0.97	7.73	Pass	
2	87	900	1.06	7.98	Pass	
2	89	900	1.05	8.33	Pass	
2	91	900	1.07	7.98	Pass	
3	87	900	0.98	8.33	Pass	
3	89	900	0.99	8.33	Pass	
3	91	900	0.96	8.33	Pass	
4	87	900	1.11	7.50	Pass	
4	89	900	1.11	7.50	Pass	
4	91	900	1.11	7.50	Pass	
5	87	900	1.04	8.06	Pass	
5	89	900	1.01	8.72	Pass	
5	91	900	1.02	8.06	Pass	
6	87	900	1.08	8.52	Pass	
6	89	900	1.08	7.73	Pass	
6	91	900	1.02	8.24	Pass	
7	87	900	0.97	8.33	Pass	
7	89	900	0.96	8.33	Pass	
7	91	900	0.95	8.52	Pass	
8	87	900	1.01	8.52	Pass	
8	89	900	1.01	7.81	Pass	
8	91	900	1.07	7.73	Pass	
9	87	900	1.07	8.15	Pass	
9	89	900	1.04	7.58	Pass	
9	91	900	1.05	7.65	Pass	
10	87	900	1.12	6.76	Pass	
10	89	900	1.07	6.94	Pass	
10	91	900	1.06	6.94	Pass	

Tester: Pramdeep Chase

Test Date: 11/19/2021

TESTING COMPANY:

Site Name: Navy Exchange
 Address: Bldg 797
Port Hueneme Ca 93041
 Phone: NA

Name: PSR Environmental
 Address: 364 Vanderbilt Rd
 Oxnard, Ca 93036
 Phone: (661) 513-8261

Figure 3

Data Form for Determination of Satic Pressure Performance
 of the Healy Clean Air Seperator

Date and Time of Last Fuel Drop to GDF:

11-18-21 / 11:51 PM

Date of Last Calibration for Pressure Measurement Device:

11/11/2021

VACUUM TEST (Section 7.1 through 7.2.7)	
Vacuum at start of test, inches water column (7.2.3)	NA
Vacuum at one minute, inches water column	NA
Vacuum at two minutes, inches water column	NA
Vacuum at three minutes, inches water column	NA
Vacuum at four minutes, inches water column	NA
Final vacuum at five minutes, inches water column	NA
System was NOT under vacuum	
Allowable minimum vacuum, inches water column (from table1):	NA

POSTIVE PRESSURE TEST (Section 7.3 through 7.3.9)	
Pressure at start of test, inches water column (7.3.8)	2.00
Pressure at one minute, inches water column	2.00
Pressure at two minutes, inches water column	2.00
Pressure at three minutes, inches water column	2.00
Pressure at four minutes, inches water column	2.00
Final Pressure at five minutes, inches water column	2.00
Allowable final Pressure, inches water column (7.3.9):	1.77

Tester: Pramdeep Chase

Test Date: 11/19/2021

Site:

TESTING COMPANY:

Site Name: Navy Exchange
Address: Bldg 797
Port Hueneme Ca 93041
Phone: NA

Name: PSR Environmental
Address: 364 Vanderbilt Rd
Oxnard, Ca 93036
Phone: (661) 513-8261

EXHIBIT 8

ITEMS TO CONSIDER IN CONDUCTING TP-201.3

The instructions below are required when conducting TP-201.3 for this system. The tester shall document that each step was followed as indicated below and shall include this page of the Exhibit with the submission of TP-201.3 test results. Note that districts may require use of an alternate form to meet these requirements, provided the alternate form includes the same minimum parameters.

- 1 Prior to conducting TP-201.3, all four ball valves on the Healy Clean Air Separator (CAS) shall be closed, as shown in Figure 1, to isolate it from the UST system to permit the pressurization of the UST system.
- 2 Conducting TP-201.3 with any dispenser piping test valve in the closed position is not permitted. Any dispenser with a dispenser piping test valve in the closed position while conducting TP-201.3 will bias the test towards compliance.
- 3 After conducting TP-201.3, the four ball valves on the Healy Clean Air Separator (CAS) shall be locked in their normal operating positions as shown in Figure 2B-5 of Exhibit 2.

Required Steps	Verification
1. All four CAS ball valves closed before conducting TP-201.3	Yes
2. All dispenser piping test valves open before conducting TP-201.3	Yes
3. All four CAS ball valves in normal operating positions after conducting TP-201.3	Yes

Tester: Pramdeep Chase

Test Date: 11/19/2021

Data Form for Vapor Pressure Sensor Ambient Reference Test

DATE OF TEST: **11/19/2021**

SERVICE COMPANY NAME:	PSR Environmental	SERVICE COMPANY'S TELEPHONE	661-513-8261
SERVICE TECHNICIAN:	n/a	VST or VEEDER-ROOT TECH CERTIFICATION #:	B38354
	Pramdeep Chase	ICC or District Training Certification (as applicable)	8882538-VT
STATION NAME:	Navy Exchange	DISTRICT PERMIT #:	NA
STATION ADDRESS:	Bldg 797	CITY, STATE, ZIP:	Port Hueneme Ca 93041

PRESSURE SENSOR LOCATION:	<u>FP: 1/2</u>	PRESSURE SENSOR SERIAL NUMBER:	<u>6922</u>
----------------------------------	----------------	---------------------------------------	-------------

STEP 8.3	DIGITAL MANOMETER VALUE <u>2.05</u> inches WC
STEP 8.3	TLS 350 SENSOR VALUE <u>2.026</u> inches WC (OBTAIN VALUE USING TLS CONSOLE KEYPAD SEQUENCE SHOWN IN FIG. 8-4, Vapor Pressure)
STEP 8.4	TLS 350 Sensor Value within ± 0.2 inches WC of Digital Manometer Value? Yes <u>XX</u> No ____ REQUIREMENTS OF EXHIBIT 2.
STEP 8.5	MODE KEY PRESSED TO EXIT PMC DIAGNOSITC MENU? <u>Yes</u>

Data Form for Vapor Pressure Sensor Ambient Reference Test

DATE OF TEST:

11/19/2021

SERVICE COMPANY NAME:	PSR Environmental	SERVICE COMPANY'S TELEPHONE:	661-513-8261
SERVICE TECHNICIAN:	n/a	VST or VEEDER-ROOT TECH CERTIFICATION #:	B38354
	Pramdeep Chase	ICC or District Training Certification (as applicable)	8882538-VT
STATION NAME:	Navy Exchange	DISTRICT PERMIT #:	NA
STATION ADDRESS:	Bldg 797	CITY, STATE, ZIP:	Port Hueneme Ca 93041

STEP 9.1	Pressure Sensor Location:	<u>FP: 1/2</u>	PRESSURE SENSOR SERIAL NUMBER:	<u>6922</u>
-----------------	---------------------------	----------------	--------------------------------	-------------

STEP 9.2	REFERENCE PORT CAP REMOVED? <u>Yes</u> VALVE SET TO AMBIENT REFERENCE PORT (PER FIG. 8-3)? <u>Yes</u>
STEP 9.3	NON-CALIBRATED SENSOR VALUE <u>-0.04</u> INCHES OF WATER COLUMN (OBTAIN VALUE USING TLS CONSOLE KEYPAD SEQUENCE SHOWN IN FIG. 8-4. Vapor pressure)
STEP 9.4	PRESSURE BETWEEN +0.20 & -0.20 (Y/N)? <u>Yes</u> IF NO: THE PRESSURE SENSOR IS OT IN COMPLIANCE WITH THE PRESSURE SENSOR REQUIREMENTS OF EXHIBIT 2.
STEP 9.5	REFERENCE PORT CAP REPLACED? <u>Yes</u> VALVE SET TO NORMAL VALVE POSITION (PER FIG 8-3)? <u>Yes</u>
STEP 6.	MODE KEY PRESSED TO EXIT CALIBRATE SMART SENSOR MENU? <u>Yes</u>

Veeder-Root In-Station Diagnostics (ISD)
Vapor Flow Meter Operability Test Procedure

DATE OF TEST: 11/19/2021

SERVICE COMPANY NAME:		PSR Environmental		SERVICE COMPANY'S TELEPHONE:		(661) 513 - 8261	
SERVICE TECHNICIAN:	n/a		VEEDER-ROOT TECH CERTIFICATION #: (as applicable)		B38354		
	Pramdeep Chase		ICC or DISTRICT TRAINING CERTIFICATION: (as applicable)				
STATION NAME:		Navy Exchange		DISTRICT PERMIT #:		NA	
STATION ADDRESS:				CITY, STATE, ZIP CODE:			
Bldg 797				Port Hueneme Ca 93041			
STEP 2.	VAPOR FLOW METER SERIAL NUMBER		38388		62128		
	DISPENSER FUELING POINT NUMBERS		FP #	1	FP #	3	
STEP 3.	LOW GRADE FUEL HOSE V/L RESULT #1 (ONE FP ONLY)		1.03		0.95		
STEP 4.	ISD A/L VALUE #1 CORRESPONDING TO RESULT IN STEP 3		1.15		1.01		
STEP 5.	STEP 4. VALUE MINUS STEP 3. VALUE		DIFF.	0.12	DIFF.	0.06	
	PASS IF DIFFERENCE IS WITHIN +/- 0.15, LARGER DIFFERENCE, THEN CONTINUE TO STEP 6 (CIRCLE ONE)		PASS	CONTINUE TO STEP 6	PASS	CONTINUE TO STEP 6	
STEP 6.	LOW GRADE FUEL HOSE V/L RESULT #2		NA		NA		
	LOW GRADE FUEL HOSE V/L RESULT #3		NA		NA		
	AVERAGE OF 3 V/L RESULTS		AVG.	NA	AVG.	NA	
STEP 7.	ISD A/L VALUE #2		NA		NA		
	ISD A/L VALUE #3		NA		NA		
	AVERAGE OF 3 A/L VALUES		AVG.	NA	AVG.	NA	
STEP 8.	STEP 7. AVG MINUS STEP 6. AVG		DIFF.		NA		
	PASS IF DIFFERENCE IS WITHIN +/- 0.15, IF LARGER DIFFERENCE, THEN CONTINUE TO STEP 9		NA	CONTINUE TO STEP 6	NA	CONTINUE TO STEP 6	
STEP 9	IF CONTINUE, REPEAT AT STEP 3. FOR 2ND FP USING 2ND FP COLUMN, ABOVE,						

STATION NAME: Navy Exchange		DISTRICT PERMIT #: NA			
STATION ADDRESS: Bldg 797		CITY: Port Hueneme Ca		STATE, ZIP: 93041	
STEP 2.	VAPOR FLOW METER SERIAL NUMBER	40635		77168	
	DISPENSER FUELING POINT NUMBERS	FP #	6	FP #	8
STEP 3.	LOW GRADE FUEL HOSE V/L RESULT #1 (ONE FP ONLY)	1.07		0.97	
STEP 4.	ISD A/L VALUE #1 CORRESPONDING TO RESULT IN STEP 3	1.15		1.10	
STEP 5.	STEP 4. VALUE MINUS STEP 3. VALUE	DIFF.	0.08	DIFF.	0.13
	PASS IF DIFFERENCE IS WITHIN +/- 0.15, LARGER DIFFERENCE, THEN CONTINUE TO STEP 6 (CIRCLE ONE)	PASS	CONTINUE TO STEP 6	PASS	CONTINUE TO STEP 6
STEP 6.	LOW GRADE FUEL HOSE V/L RESULT #2	NA		NA	
	LOW GRADE FUEL HOSE V/L RESULT #3	NA		NA	
	AVERAGE OF 3 V/L RESULTS	AVG.	NA	AVG.	NA
STEP 7.	ISD A/L VALUE #2	NA		NA	
	ISD A/L VALUE #3	NA		NA	
	AVERAGE OF 3 A/L VALUES	AVG.	NA	AVG.	NA
STEP 8.	STEP 7. AVG MINUS STEP 6. AVG	DIFF.	NA	DIFF.	NA
	PASS IF DIFFERENCE IS WITHIN +/- 0.15, IF LARGER DIFFERENCE, THEN CONTINUE TO STEP 9	NA	CONTINUE TO STEP 6	NA	CONTINUE TO STEP 6
STEP 9	IF CONTINUE, REPEAT AT STEP 3. FOR 2ND FP USING 2ND FP COLUMN, ABOVE,				

Veeder-Root In-Station Diagnostics (ISD)
 Vapor Flow Meter Operability Test Procedure

DATE OF TEST:	11/19/2021
----------------------	------------

SERVICE COMPANY NAME:		PSR Environmental		SERVICE COMPANY'S TELEPHONE:		(661) 513 - 8261			
SERVICE TECHNICIAN:		n/a		VEEDER-ROOT TECH CERTIFICATION #: (as applicable)		B38354			
		Pramdeep Chase		ICC or DISTRICT TRAINING CERTIFICATION: (as applicable) 8882538-VT					
STATION NAME:				Navy Exchange		DISTRICT PERMIT #:		NA	
STATION ADDRESS:				Bldg 797		CITY, STATE, ZIP CODE: Port Hueneme Ca 93041			
STEP 2.	VAPOR FLOW METER SERIAL NUMBER			65343		72474			
	DISPENSER FUELING POINT NUMBERS			FP #	9	FP #	11		
STEP 3.	LOW GRADE FUEL HOSE V/L RESULT #1 (ONE FP ONLY)			1.03		1.04			
STEP 4.	ISD A/L VALUE #1 CORRESPONDING TO RESULT IN STEP 3			1.09		1.08			
STEP 5.	STEP 4. VALUE MINUS STEP 3. VALUE			DIFF.	0.06	DIFF.	0.04		
	PASS IF DIFFERENCE IS WITHIN +/- 0.15, LARGER DIFFERENCE, THEN CONTINUE TO STEP 6 (CIRCLE ONE)			PASS	CONTINUE	PASS	CONTINUE		
STEP 6.	LOW GRADE FUEL HOSE V/L RESULT #2			NA		NA			
	LOW GRADE FUEL HOSE V/L RESULT #3			NA		NA			
	AVERAGE OF 3 V/L RESULTS			AVG.	NA	AVG.	NA		
STEP 7.	ISD A/L VALUE #2			NA		NA			
	ISD A/L VALUE #3			NA		NA			
	AVERAGE OF 3 A/L VALUES			AVG.	NA	AVG.	NA		
STEP 8.	STEP 7. AVG MINUS STEP 6. AVG			DIFF.	NA	DIFF.	NA		
	PASS IF DIFFERENCE IS WITHIN +/- 0.15, IF LARGER DIFFERENCE, THEN CONTINUE TO STEP 9			NA	CONTINUE	NA	CONTINUE		
STEP 9	IF CONTINUE, REPEAT AT STEP 3. FOR 2ND FP USING 2ND FP COLUMN, ABOVE,								

**Veeder-Root In-Station Diagnostics (ISD)
Site Shutdown Test Worksheet**

DATE OF TEST: 11/19/2021

SERVICE COMPANY NAME: PSR Environmental	SERVICE COMPANY'S TELEPHONE: 661-513-8261
SERVICE TECHNICIAN Pramdeep Chase	VEEDER-ROOT TECH CERTIFICATION #: B38354
STATION NAME: Navy Exchange	DISTRICT PERMIT #: NA
STATION ADDRESS: Bldg 797	CITY, STATE, ZIP: Port Hueneme Ca 93041

STEP 1.	POWER REMOVED FROM TLS CONSOLE?	Yes
STEP 2.	POWER TO SUBMERSIBLE PUMPS REMOVED BY TLS? (VERIFY GASOLING FUELING DISABLED)	Yes
STEP 3.	POWER RESTORED TO TLS CONSOLE?	Yes

COMMENTS	(INCLUDE DESCRIPTION OF REPAIRS MADE)
----------	---------------------------------------

Appendix F

NBVC Port Hueneme Annual Throughput/Consumption Report

2021 Twelve-Month Rolling Sum Throughput / Consumption Report NBVC Port Hueneme Title V Permit 01006

Title V Description	Annual Throughput Limit	Jan-21	Feb-21	Mar-21	Apr-21	May-21	Jun-21	Jul-21	Aug-21	Sep-21	Oct-21	Nov-21	Dec-21
Boilers													
1.1825 MMBTU (Building 2)	10 MMCF	0.00	0.01	0.01	0.02	0.09	0.09	0.09	0.09	0.09	0.09	0.15	0.26
8.4 MMBTU Boiler (Wharf 3) - Out of Service	2 MMCF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8.4 MMBTU Boiler (Wharf 4) - Out of Service	2 MMCF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.6 MMBTU "NCEL" Burner (Building 1100)	2.7 MMCF Nat Gas	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2 - 4.8 MMBTU Portable Boilers	200 Hours Combined	3.0	3.0	5.0	4.0	4.0	5.0	5.0	4.0	3.0	4.0	4.0	4.0
2.1 MMBTU (Building 1419) Fuel Oil	1,000 Gal	0.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	3.0
2.1 MMBTU (Building 1419) Natural Gas	0.1 MMCF	0.007	0.006	0.006	0.007	0.007	0.007	0.005	0.006	0.007	0.007	0.007	0.006
2 - 1.44 MMBTU Boilers (Building 1479)	10 MMCF Combined	0.6	0.6	0.9	0.5	0.5	0.4	0.4	0.5	0.5	0.7	0.7	0.74
Portable Internal Combustion Engines													
Crane Diesel Engines	218,180 BHP-Hrs	692	7,776	10,352	16,691	20,555	28,653	35,737	41,432	49,035	58,248	60,377	64,981
Sweeper Vehicle Diesel Engines	75,000 BHP-Hrs	16,379.5	17,912.9	17,564.4	17,494.7	17,843.2	17,773.5	17,843.2	17,773.5	14,637.0	13,730.9	12,824.8	11,082.3
Five Diesel Generator Engines	95,750 BHP-Hrs	6,369	8,333	8,333	8,333	8,333	8,333	1,964	1,964	1,964	1,964	1,964	1,964
MWR Wood Chipper	300 Hours	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Surface Coating Operations													
Marine Coatings at 2.8 lb/gal ROC	943 Gallons	632.1	643.3	637.8	638.8	627.1	573.7	562.7	533.3	508.8	548.5	374.6	338.4
Coatings at 3.5 lb/gal ROC	5,661 Gallons	46.0	53.0	56.2	58.9	69.0	75.6	88.2	107.9	137.9	149.1	160.7	181.5
Pretreatment wash primers at 6.5 lb/gal ROC	20 Gallons	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Coatings at 7.0 lb/gal ROC	250 gallons	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.2	1.5

