

## Enforcement Activity Update

<b>Enforcement Activities</b>					
<b>AUGUST 2021</b>					
<b>Inspections</b>	<b>Month</b>	<b>Fiscal Year*</b>	<b>Violations</b>	<b>Month</b>	<b>Fiscal Year</b>
New Business / Unpermitted	0	0	Breakdowns Received	18	27
Asbestos Inspections	2	3	Complaints Received	31	38
PERP Inspections	5	13	Notices of Violation Issued	12	20
			Notices to Comply Issued	3	7
Compliance / Follow-up / All Other Inspections	252	449	Cases Settled after Office Conference	6	11
<b>Total: Inspections / Verifications</b>	<b>259</b>	<b>465</b>	<b>Total: Settlement / Fines</b>	<b>\$6,250</b>	<b>\$40,250</b>

\*Fiscal Year: July-June

<b>Sources Operating Under Variance</b>					
<b>AUGUST 2021</b>					
<b>No./Type</b>	<b>Facility/Location</b>	<b>Source</b>	<b>Rule</b>	<b>End Date</b>	<b>Status</b>
885/Regular FID #08044	Santa Paula Water Recycling Facility	Aerisa Ionized Air System	29.C (PC 14)	2/11/2022	On Schedule
888/Regular FID #08044	Santa Paula Water Recycling Facility	Hawk Emission Control System	29.C (PC 14)	2/11/2022	On Schedule

<b>Sources with Notices of Violation</b>				
<b>AUGUST 2021</b>				
<b>NOV No</b>	<b>Facility Name</b>	<b>City</b>	<b>Comment</b>	<b>NOV Date</b>
24172	Royal Coatings	SIMI VALLEY	Permit Condition Not Met	08/03/2021
24270	The Palms at Bonaventure	VENTURA	Permit Condition Not Met	08/05/2021
24327	Elite Metal Finishing, LLC	OXNARD	Permit Condition Not Met	08/05/2021
23892	Naval Base Ventura County	Point Mugu	Failure to Maintain/Operate Certified System	08/09/2021
23216	Benchmark Electronics Mfg Solns,Inc	MOORPARK	Permit Condition Not Met	08/10/2021

