

Enforcement Activity Update

Enforcement Activities					
NOVEMBER 2021					
Inspections	Month	Fiscal Year*	Violations	Month	Fiscal Year
Unpermitted	0	0	Breakdowns Received	6	60
Asbestos Inspections	0	4	Complaints Received	12	79
PERP Inspections	13	45	Notices of Violation Issued	15	64
			Notices to Comply Issued	5	16
Compliance / Follow-up / All Other Inspections	172	1,089	Cases Settled after Office Conference	13	51
Total: Inspections / Verifications	185	1,138	Total: Settlement / Fines	\$8,950	\$104,000

*Fiscal Year: July-June

Sources Operating Under Variance					
NOVEMBER 2021					
No./Type	Facility/Location	Source	Rule	End Date	Status
885/Regular FID #08044	Santa Paula Water Recycling Facility	Aerisa Ionized Air System	29.C (PC 14)	2/11/2022	On Schedule
888/Regular FID #08044	Santa Paula Water Recycling Facility	Hawk Emission Control System	29.C (PC 14)	2/11/2022	On Schedule

Sources with Notices of Violation				
NOVEMBER 2021				
NOV No	Facility Name	City	Comment	NOV Date
24553	Public Storage/JAFRA Cosmetics	WESTLAKE VILLAGE	Operating Without a Permit	11/02/2021
24852	J & J Arias Family Company Inc.	VENTURA	Inadequate Storage of ROC	11/03/2021
24851	Fire Station #53	PORT HUENEME	Permit Condition Not Met	11/03/2021
24802	Weatherford U.S., L.P.	SANTA PAULA	Metal Parts Coatings - Transfer Efficiency	11/05/2021
24856	Oxnard College	OXNARD	Operating Without a Permit	11/05/2021

