

NOTICE OF HEARING
BEFORE THE
VENTURA COUNTY
AIR POLLUTION CONTROL DISTRICT HEARING BOARD

THE HEARING BOARD HEREBY GIVES NOTICE that it will conduct a public hearing on MONDAY, SEPTEMBER 25, 2017, at 5:30 p.m. The location of the hearing will be the Board of Supervisors Hearing Room, Hall of Administration, Ventura County Government Center, 800 South Victoria Avenue, Ventura, California. Interested persons may appear at this hearing and give testimony.

THE HEARING BOARD WILL GIVE CONSIDERATION to the following petition for variance from the Air Pollution Control District Rules and Regulations:

Number 871: Petition of City of Santa Paula ("City") for a regular variance from District Rule 29.C, Conditions on Permits, Violation of Permit to Operate Number 08044. Petitioner is requesting authorization to continue operating the wastewater recycling facility with hydrogen sulfide ("H₂S") emissions that exceed the permit limit of 1.2 parts per million.

The variance will allow the City time to determine the cause of the excess H₂S emissions, develop and implement a plan to control the H₂S emissions, and test the control systems to demonstrate compliance with the emission limit. The facility is located at 920 Corporation Street, Santa Paula, California. The facility is not a major stationary source as defined by Environmental Protection Agency criteria.

Interested persons may examine the petition, which includes proposed conditions and/or increments of progress, at the office of the Clerk of the Board, Fourth Floor, Hall of Administration, Ventura County Government Center, 800 South Victoria Avenue, Ventura, California. Interested persons may also examine a copy of the Air Pollution Control District Rules and Regulations at the office of the Clerk of the Board. The office hours for the Clerk of the Board are Monday through Friday from 8:00 a.m. to 5:00 p.m.

DATED:

MICHAEL POWERS,
Clerk of the Board of Supervisors
& Clerk of the APCD Hearing Board

BY: _____

Deputy Clerk of the Board