

NOTICE OF HEARING
BEFORE THE
VENTURA COUNTY
AIR POLLUTION CONTROL DISTRICT HEARING BOARD

THE HEARING BOARD HEREBY GIVES NOTICE that it will conduct a public hearing on MONDAY, AUGUST 7, 2017, at 5:30 p.m. The location of the hearing will be the Board of Supervisors Hearing Room, Hall of Administration, Ventura County Government Center, 800 South Victoria Avenue, Ventura, California. Interested persons may appear at this hearing and give testimony.

THE HEARING BOARD WILL GIVE CONSIDERATION to the following petition for variance from the Air Pollution Control District Rules and Regulations:

Number 874: Petition of DCOR, LLC, (DCOR) for an interim variance from Air Pollution Control District Rule 29.C, Conditions on Permits, Violation of Permit Conditions. DCOR operates an Amine Unit to remove carbon dioxide and hydrogen sulfide (H₂S) from their produced gas. DCOR also operates a 33.5 million BTU per hour PEI Enclosed Ground Flare ("Flare") to combust tail gas from the Amine Unit. The Flare was recently source tested. The test results indicated that the Flare did not meet the permitted oxides of nitrogen (NO_x) emission limit. The Petitioner believes the excess NO_x emissions are a result of a decrease in the volume of tail gas.

Petitioner is requesting authorization to operate the flare with excess NO_x emissions until gas piping can be modified or a regular variance hearing can be held. A hearing for a regular variance must be held on or before October 30, 2017. The Mandalay Onshore Facility is located at 201 North Harbor Blvd., Oxnard, California. The facility is not a major stationary source as defined by Environmental Protection Agency criteria.

Interested persons may examine the petition, which includes proposed conditions and/or increments of progress, at the office of the Clerk of the Board, Fourth Floor, Hall of Administration, Ventura County Government Center, 800 South Victoria Avenue, Ventura, California. Interested persons may also examine a copy of the Air Pollution Control District Rules and Regulations at the office of the Clerk of the Board. The office hours for the Clerk of the Board are Monday through Friday from 8:00 a.m. to 5:00 p.m.

DATED:

MICHAEL POWERS,
Clerk of the Board of Supervisors
& Clerk of the APCD Hearing Board

BY: _____

Deputy Clerk of the Board