



Ventura County
Air Pollution
Control District

669 County Square Drive
Ventura, California 93003

tel 805/645-1400
fax 805/645-1444
www.vcapcd.org

Michael Villegas
Air Pollution Control Officer

June 25, 2019

Mr. Gerardo Rios, Chief
Permits Office (AIR-3)
Office of Air Division
EPA Region IX
75 Hawthorne Street
San Francisco, CA 94105

Subject: Proposed Title V Federal Operating Permit Notification
VCAPCD Permit No. 00065 - Ormond Beach Generating Station

Dear Mr. Rios:

The Ventura County Air Pollution Control District (VCAPCD) hereby provides notice of a preliminary decision to reissue a Title V federal operating permit (Part 70 permit) to the following company:

| <u>Company Name</u> | <u>Facility</u> | <u>Application No.</u> |
|----------------------------|---------------------------------|------------------------|
| GenOn California South, LP | Ormond Beach Generating Station | 00065-321 |

This re-issuance is for a five-year permit period that will end on December 31, 2023. Pursuant to Rule 33.9.A.1, the VCAPCD issued a letter dated August 16, 2018 providing an application shield for the permit.

This notice has been provided in accordance with Rule 33.7, "Part 70 Permits - Notification". Enclosed please find a copy of the public notice that will appear in the newspaper as required for this significant Part 70 permit action. The following link on the Ventura County APCD website provides access to the proposed Part 70 Permit. A copy of the reissuance permit application can be forwarded upon request.

http://www.vcapcd.org/title_v.htm

At this same time, in accordance with VCAPCD Rule 34, "Acid Deposition Control," notice is hereby given that a preliminary decision has been made to renew the Title IV Acid Rain Permit to GenOn California South, LP for the Ormond Beach Generating Station. The permit renewal will be issued for the same time period as the Part 70 Permit. A Title IV Acid Rain Permit is being issued to fulfill the requirements of Title IV of the federal Clean Air Act and 40 CFR Part 72.

The units covered by the proposed Title IV and Title V permits include two (2) natural gas-fired electric steam generating units each rated at 750 MW. The Title IV permit places sulfur dioxide

(SO₂) allowances on the facility. Pursuant to 40 CFR Part 72.72(b)(1)(v), the District is using a direct proposed procedure and is issuing a draft and a proposed Acid Rain Permit as a single document.

Pursuant to Rule 33.7.B.5, the VCAPCD will address all written comments on the revised, proposed permit provided that they are germane to the applicable requirements implicated by this permit action. The VCAPCD will then revise the permit if necessary, and pursuant to Rule 33.7.C.3 will provide written notification of the final decision to grant the permit to EPA and any other party which submitted written comments during this comment period.

If EPA does not object to the proposed permit and the VCAPCD issues a final permit, pursuant to Rule 33.7.D, any person may petition the EPA within 60 days after the expiration of EPA's 45-day comment period. If EPA then objects to the issuance of the Part 70 permit as a result of a public petition, the VCAPCD must resolve the EPA objection.

If you have any questions or wish to discuss this matter in further detail, please call me at 805/645-1421 or by email at kerby@vcapcd.org.

Sincerely,



Kerby E. Zozula, Manager
Engineering Division

Enclosures

c: Tom Di Ciolli
GenOn California South, LP
6635 South Edison Drive
Oxnard, CA 93033

Part 70 Permit Action Notification List (without enclosures)



AdTech® NEW PRINT ORDER

- NEW PRINT ORDER
- NEW WEB ORDER
- COPY ORDER
- ORDER LOOKUP
- ORDER TRACKING
- OPEN [0]
- READY [0]
- SENT [1]
- ADVANCE COST [0]
- POSTED WEB ADS [0]

Your order is sent!!

Customer Information

Customer Name VENTURA CO/AIR POLLUTION CONTROL/FISCAL [128607]
 Address 669 COUNTY SQUARE DR 2ND FLR , VENTURA CA - 93002
 Phone/Fax (805) 645-1416 / -

Order Information

Attention Name COUNTY OF VENTURA AIR POLLUTION
 Ad Payment Reference
 Ad Description 00065-321
 Ad Type Legal-GOVERNMENT - GOVT PUBLIC NOTICE
 Special Instructions Please publish in all versions of the Ventura County Star.

Orders Created

| Order No. | Newspaper Name | Publishing Dates | Length | Cost Itemization | Cost | Ad Stat |
|-----------|-------------------------|------------------|--------|------------------|---------|---------|
| 3268477 | VENTURA COUNTY STAR, CA | 06/29/2019 | - | - | Pending | Sent |

MEDIA LOOKUP

ACCOUNTING

USAGE REPORTS

Ad Text

| Order No. | Newspaper | View |
|-----------|---------------------|--------------------------------|
| 3268477 | VENTURA COUNTY STAR | View Ad In PDF |

PUBLIC NOTICE OF PRELIMINARY DECISION

VENTURA COUNTY APCD

In accordance with Rule 33, "Part 70 Permits," of the Ventura County Air Pollution Control District (VCAPCD) Rules, notice is hereby given that a preliminary decision has been made to reissue Part 70 Permit No. 00065. The permit will be held by GenOn California South LP (6635 South Edison Drive, Oxnard, California 93033) and is for the Ormond Beach Generating Station, located at 6635 South Edison Drive, Oxnard, California 93033. Rule 33 requires Part 70 permit holders to apply for reissuance of the permit every five years. The issuance of this permit is for the period ending December 31, 2023. The facility includes two (2) natural gas-fired electric steam generating units each rated at 750 MW. Part 70 permits are issued to fulfill the requirements of Title V of the federal Clean Air Act and 40 CFR Part 70. The Part 70 Permit also includes a Title IV Acid Rain Permit for the stationary source in accordance with Rule 34, "Acid Deposition Control". The Title IV Acid Rain Permit is being issued to fulfill the requirements of Title IV of the federal Clean Air Act and 40 CFR Part 72. Both the Title V federal operating permit and the Title IV Acid Rain Permit have five-year permit periods. Documents pertaining to the issuance of these Title IV and Title V permits, including the permit applications and proposed permits, are available at the District's office, 669 County Square Drive, Second Floor, Ventura, California, 93003 and on the VCAPCD's website at http://www.vcapcd.org/title_v.htm. Any interested person may view said documents, request copies, and submit written comments. Only comments that address whether the requested permit action is consistent with the air pollution control requirements that apply to the facility and with the requirements of Rules 33 and 34 and 40 CFR Parts 70 and 72 will be considered. No public hearing on this matter has been scheduled, but a public hearing will be scheduled if timely requested by a member of the public in writing. A separate public notice for the hearing will be provided. Written comments, or a written request for a public hearing, must be submitted no later than 30 days from the date of this publication to Kerby E. Zozula, Engineering Manager, at the above address. Any questions regarding this issue should be directed to Mr. Zozula at kerby@vcapcd.org. (00065-321)