

**Pacific Custom Materials
Kiln 3 - Report for Month of January 2010
SOx Emissions**

Title V Permit Limit = 7.61 Pounds per Hour

**Units: Pounds/Hour
Interval: 1-hour average**

Day	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	Mass	Max
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8																										
9																										
10																										
11																										
12																										
13																										
14																										
15											0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.83	5.50	4.53	3.18	5.69	3.34	4.29	4.89	4.33	3.78	3.49	4.90	4.15	3.94	4.64	4.46	65.95	5.69
19	4.12	2.98	2.98	3.15	2.90	3.66	3.50	3.15	2.84	2.40	2.47	2.59	3.47	4.38	2.37	2.20	2.29	1.56	2.15	2.58	2.61	2.47	2.55	2.88	68.26	4.38
20	3.45	4.73	5.60	4.17	4.48	3.98	4.76	3.84	3.31	3.27	5.49	4.45	3.22	2.99	3.33	4.85	4.46	4.20	3.94	4.65	4.43	5.24	3.08	4.10	100.01	5.60
21	3.10	2.97	4.48	5.30	4.03	5.86	5.65	4.52	4.07	4.62	5.16	4.56	4.48	4.18	3.91	4.09	4.15	4.49	3.90	3.98	4.96	5.32	5.19	5.43	108.39	5.86
22	4.56	3.57	3.71	4.69	5.06	5.55	5.44	5.75	4.24	4.77	4.50	3.69	4.97	3.44	3.64	3.83	4.39	4.44	5.35	5.15	5.12	5.08	4.80	6.03	111.75	6.03
23	5.99	5.08	4.36	5.84	6.05	5.37	5.21	4.34	4.27	3.58	3.89	4.82	4.23	4.56	4.54	4.32	4.09	4.14	4.82	4.55	3.70	5.12	4.86	5.55	113.27	6.05
24	5.63	5.07	3.22	3.09	3.83	3.72	3.21	3.05	3.05	3.34	4.58	4.27	5.01	3.21	4.10	5.06	4.14	4.18	4.64	4.33	5.13	4.48	5.45	4.59	100.38	5.63
25	5.17	5.64	5.45	4.57	5.11	4.06	3.59	4.06	2.73	3.12	2.60	3.34	3.73	3.94	4.03	4.18	4.18	4.93	5.18	5.12	4.66	4.13	4.01	4.33	101.86	5.64
26	5.70	3.27	2.75	3.29	2.83	3.17	4.52	4.70	3.72	3.71	3.08	3.85	3.65	3.73	3.61	4.30	4.58	3.72	3.82	3.89	3.73	4.07	4.32	3.60	91.58	5.70
27	3.17	4.95	3.03	2.81	2.47	2.12	2.54	4.65	3.28	3.36	4.33	4.34	4.78	2.86	3.13	3.40	4.44	3.84	3.45	3.79	4.28	5.12	5.63	4.64	90.41	5.63
28	4.47	3.26	3.36	3.60	3.12	3.09	2.73	2.23	2.11	1.82	2.24	3.70	5.32	4.40	6.01	3.68	3.46	4.78	5.05	5.00	4.30	3.18	3.00	3.24	87.14	6.01
29	3.09	3.10	3.24	4.53	5.66	6.88	3.36	3.83	4.31	5.39	5.66	4.72	5.53	5.48	5.44	4.15	5.33	5.91	6.34	5.03	4.86	4.63	6.01	3.41	115.88	6.88
30	3.56	4.26	5.88	3.86	3.36	3.34	3.78	4.10	3.95	3.75	4.13	0.18	0.26	2.20	4.26	3.38	3.38	3.02	3.13	4.29	5.43	5.26	3.73	4.31	86.78	5.88
31	4.03	3.55	3.92	4.15	4.89	3.61	3.33	3.39	3.31	3.46	3.69	3.73	3.72	4.63	5.03	5.39	6.07	5.39	5.67	5.77	5.67	5.55	5.60	5.65	109.21	6.07
Mass	56.05	52.42	51.97	53.05	53.80	54.40	51.61	51.61	46.01	52.09	56.33	51.41	58.06	53.34	57.70	57.71	59.28	58.37	60.93	63.04	63.02	63.59	62.88	62.21	1350.87	
Max	5.99	5.64	5.88	5.84	6.05	6.88	5.65	5.75	4.31	5.50	5.66	4.82	5.69	5.48	6.01	5.39	6.07	5.91	6.34	5.77	5.67	5.55	6.01	6.03		6.88

'M' - Maintenance
'W' - Caution

'E' - Error
'F' - Frozen FIFO

'O' - Out-of-Control

'X' - Excess Emission

**Pacific Custom Materials
Kiln 3 - Report for Month of January 2010
SOx Emissions**

Title V Permit Limit = 300 Parts per Million by Volume

Units: Parts per Million by Volume

	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	Max	Avg	
1	0.18	0.22	0.28	0.27	0.15	0.20	0.20	0.55	0.52	0.74	0.76	0.72	0.75	0.88	0.80	0.97	0.79	0.83	0.79	0.91	0.78	0.84	0.60	0.81	0.97	0.61	
2	0.71	0.69	0.55	0.75	0.88	0.79	0.70	0.68	0.45	0.21	0.14	0.38	0.39	0.42	0.31	0.33	0.23	0.36	0.34	0.36	0.44	0.38	0.49	0.48	0.88	0.48	
3	0.65	0.44	0.44	0.51	0.49	0.40	0.51	0.71	0.83	1.05	0.61	0.45	0.33	0.53	0.83	0.69	1.15	1.05	1.06	1.04	1.14	1.14	1.05	1.27	1.27	0.77	
4	1.15	1.17	1.22	1.18	1.24	1.20	1.20	2.01	2.52	2.22	2.09	2.22	1.73	1.73	1.88	2.00	1.92	2.58	2.81	2.68	2.47	2.85	2.46	2.66	2.85	1.97	
5	2.73	2.64	2.73	2.97	2.84	2.50	2.51	1.96	0.87	0.72	0.70	0.64	0.69	1.08	1.13	1.03	1.15	1.31	1.00	1.09	1.17	1.20	1.30	1.27	2.97	1.55	
6	1.17	1.06	1.03	1.18	0.98	1.10	1.34	1.19	0.72	0.66	0.36	0.42	0.44	0.47	0.76	0.85	0.86	0.94	1.24	1.09	1.31	1.07	1.10	1.14	1.34	0.94	
7	1.09	1.04	1.16	1.15	1.25	1.10	0.86	1.07	0.75	0.52 I															1.25	1.05	
8																											
9																											
10																											
11																											
12																											
13																											
14																											
15											0.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.04	
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.97	25.47	20.38	15.38	26.35	15.75	20.42	23.27	20.64	17.82	16.28	22.78	18.96	18.06	21.62	20.64	26.35	12.82	
19	18.81	13.86	13.82	14.66	13.49	17.04	16.22	14.60	13.13	11.06	11.41	11.88	15.77	20.35	11.10	10.32	10.79	7.35	10.13	12.19	12.30	11.64	12.03	13.72	20.35	13.24	
20	16.53	22.79	27.12	20.19	21.70	19.17	22.82	18.31	15.69	15.44	25.97	20.87	14.93	13.79	15.30	22.69	21.04	19.93	18.61	22.10 W	20.96	24.32	14.01	18.94	27.12	19.72	
21	14.28	13.68	20.61	24.45	18.68	27.08	26.08	20.92	18.87	21.37	23.82	21.02	20.69	19.22	18.01	18.79	19.08	20.67	17.96	18.43	23.14	24.96	24.31	25.09	27.08	20.88	
22	22.13	17.24	17.86	22.73	24.86	27.38	26.83	28.38	20.75	23.04	21.93	17.88	24.14	16.63	17.60	18.43	21.14	21.44	25.16	23.51	23.29	23.13	22.04	27.97	28.38	22.31	
23	28.16	23.64	19.71	26.44	27.36	24.04	23.37	19.46	19.16	16.04	17.49	21.26	18.54	20.03	19.89	18.82	17.75	18.07	21.13	20.00	16.07	22.39	20.66	23.53	28.16	20.96	
24	24.02	21.63	13.68	13.10	16.20	15.71	13.57	12.86	12.86	14.08	19.60	18.36	21.63	13.85	17.77	21.81	17.71	17.91	19.89	18.61	22.06	19.42	23.60	19.90	24.02	17.91	
25	22.45	24.58	23.74	19.85	22.04	17.51	15.49	17.52	11.83	13.54	11.32	14.53	16.24	17.21	17.65	18.22	18.24	21.58	22.66	22.22	20.07	17.91	17.40	18.94	24.58	18.45	
26	24.79	14.29	11.99	15.97	13.25	14.75	21.00	21.86	17.37	17.34	14.49	17.87	16.98	17.28	16.84	19.90	21.26	17.28	17.57	18.01	17.24	18.85	19.99	16.65	24.79	17.62	
27	14.59	22.75	13.88	12.78	11.16	9.61	11.57	21.22	14.87	15.24	19.84	19.91	21.91	13.15	14.41	15.59	20.26	17.58	15.82	17.44	19.63	23.61	26.07	21.40	26.07	17.26	
28	20.69	14.96	15.41	16.40	14.16	14.05	12.38	10.11	9.50	7.89	9.37	15.33	22.12	18.38	25.13	15.42	14.52	19.92	21.06	20.87	17.85	13.27	12.51	13.49	25.13	15.62	
29	12.89	12.89	13.42	18.81	23.54	28.60	13.95	15.98	18.00	22.47	23.53	19.59	23.08	22.99	22.92	17.64	22.84	25.44	27.15	21.65	20.79	19.90	25.55	14.51	28.60	20.34	
30	15.11	18.03	25.44	16.78	14.78	14.73	16.65	18.02	17.48	16.55	17.97	0.95	1.32	10.10	19.69	15.63	15.61	13.95	14.54	20.01	25.31	24.31	17.31	19.94	25.44	16.26	
31	18.61	15.92	17.17	18.05	21.47	15.87	14.71	14.84	14.49	15.11	16.19	16.29	16.51	20.46	22.54	23.42	25.78	22.67	24.06	24.55	24.24	23.53	23.72	23.89	25.78	19.75	
Max	28.16	24.58	27.12	26.44	27.36	28.60	26.83	28.38	20.75	25.47	25.97	21.26	26.35	22.99	25.13	23.42	25.78	25.44	27.15	24.55	25.31	24.96	26.07	27.97	28.60	10.86	
Avg	11.34	10.59	10.49	10.79	10.89	10.99	10.52	10.53	9.33	10.92	11.24	10.26	11.50	10.62	11.52	11.56	11.86	11.68	12.14	12.59	12.57	12.73	12.51	12.44			
Rds	23	23	23	23	23	23	23	23	23	22	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23		

'I' - Invalid
'M' - Maintenance
'W' - Caution

'U' - User Data
'E' - Error
'F' - Frozen FIFO

'C' - Calibration
'O' - Out-of-Control

'D' - Process Down
'X' - Excess Emission

Pacific Custom Materials
Kiln 4 - Report for Month of January 2010
SOx Emissions

Title V Permit Limit = 8.28 Pounds per Hour

Units: Pounds/Hour
Interval: 1-hour average

Day	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	Mass	Max	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8																											
9																											
10																											
11																											
12																											
13																											
14																											
15											0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.09	0.13	0.13	0.16	0.52	0.16	0.16
18	0.11	0.11	0.07	0.11	0.53	3.99	3.36	3.94	2.40	3.73	2.93	3.94	5.38	3.36	5.35	4.75	4.83	3.72	4.74	4.44	4.85	4.82	4.43	3.61	79.50	5.38	5.38
19	3.55	4.70	4.67	3.32	3.37	3.35	3.18	3.24	4.87	4.59	4.95	4.04	4.73	5.67	3.20	2.58	2.03	1.39	2.62	3.04	3.10	2.68	3.69	2.58	85.13	5.67	5.67
20	3.23	3.35	3.36	4.15	4.93	4.68	5.11	4.28	3.10	3.22	5.28	4.56	1.00	0.08	1.05	3.39	4.23	4.44	4.08	4.51	4.50	4.38	2.95	3.60	87.48	5.28	5.28
21	2.95	4.13	6.20	3.75	3.87	4.03	4.27	3.47	3.44	4.44	1.27	3.95	5.27	4.19	4.18	4.43	5.43	6.08	4.03	4.37	5.58	5.34	3.93	3.81	102.42	6.20	6.20
22	4.52	3.48	3.32	3.24	3.55	3.54	3.41	3.16	3.28	3.22	4.06	5.73	4.17	3.86	3.33	4.41	5.24	5.06	5.57	6.29	4.36	4.63	4.98	5.58	101.98	6.29	6.29
23	4.48	6.02	6.43	5.01	5.11	3.93	5.13	4.36	3.86	3.79	3.95	3.98	4.07	4.58	5.05	4.69	4.94	6.05	4.94	5.37	3.46	3.53	2.84	2.85	108.43	6.43	6.43
24	3.30	3.91	3.30	2.92	3.30	2.98	2.69	2.61	2.65	3.13	4.13	3.09	3.30	3.92	4.63	4.32	4.72	5.47	5.80	4.48	4.67	5.22	4.93	5.88	95.33	5.88	5.88
25	5.23	4.27	3.07	2.56	3.73	3.00	3.09	2.99	2.56	2.46	3.32	3.51	3.83	2.82	2.62	4.95	3.86	3.16	3.75	6.02	4.26	2.78	4.79	5.36	88.01	6.02	6.02
26	4.85	2.25	1.39	2.08	2.55	2.65	3.66	6.04	4.24	3.28	2.23	0.15	1.98	5.54	3.72	3.71	4.18	2.92	3.13	3.42	2.91	2.77	3.32	5.39	78.38	6.04	6.04
27	4.08	4.01	3.53	3.41	4.38	4.98	4.46	4.22	4.12	2.68	3.88	4.23	4.53	3.15	3.86	2.92	2.77	2.28	3.58	3.52	2.46	1.55	1.51	2.03	82.14	4.98	4.98
28	1.96	1.29	1.21	1.23	1.12	1.07	1.07	1.44	2.10	4.20	4.80	4.81	3.96	4.22	3.79	4.40	3.14	2.84	2.06	2.03	2.00	2.31	2.50	3.07	62.62	4.81	4.81
29	4.01	4.37	5.32	6.12	3.15	3.80	4.18	4.65	4.70	3.87	4.67	4.09	5.02	5.12	5.66	5.09	4.88	4.88	4.52	4.28	4.60	5.45	6.47	4.68	113.58	6.47	6.47
30	4.48	5.45	0.89	0.21	0.18	0.12	0.08	0.08	0.10	0.10	0.13	3.28	6.06	4.40	4.55	3.66	5.85	3.91	5.22	3.84	1.99	2.70	3.03	3.92	64.22	6.06	6.06
31	4.56	4.07	4.71	4.43	4.21	5.49	4.16	3.81	5.58	4.41	3.87	3.07	3.63	3.19	4.19	3.23	4.89	4.81	3.88	3.63	3.53	4.02	4.01	4.42	99.82	5.58	5.58
Mass	51.32	51.42	47.46	42.55	43.98	47.62	47.84	48.28	47.00	47.10	49.47	52.44	56.96	54.10	55.18	56.52	61.00	57.04	57.93	59.25	52.35	52.30	53.49	56.95	1249.55		
Max	5.23	6.02	6.43	6.12	5.11	5.49	5.13	6.04	5.58	4.59	5.28	5.73	6.06	5.67	5.66	5.09	5.85	6.08	5.80	6.29	5.58	5.45	6.47	5.88		6.47	6.47

'I' - Invalid
'M' - Maintenance
'W' - Caution
'U' - User Data
'E' - Error
'F' - Frozen FIFO
'C' - Calibration
'O' - Out-of-Control
'D' - Process Down
'X' - Excess Emission

Pacific Custom Materials
Kiln 4 - Report for Month of January 2010
SOx Emissions

Title V Permit Limit = 300 Parts per Million by Volume

Units: Parts per Million by Volume

	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	Max	Avg	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8																											
9																											
10																											
11																											
12																											
13																											
14																											
15											0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.05	0.06	0.53	0.81	0.84	1.06	1.06	0.14	
18	0.74	0.63	0.41	0.52	2.87	21.74	19.27	24.44	10.63	15.50	12.53	17.36	22.75	17.07	24.70	21.54	21.25	16.09	20.36	19.28	20.97	21.07	19.33	15.67	24.70	15.28	
19	15.54	20.40	20.44	14.51	14.65	14.54	13.73	14.02	21.20	19.91	21.50	17.52	20.42	24.64	14.01	11.36	8.95	6.05	11.27	13.29	13.58	11.85	16.21	11.26	24.64	15.45	
20	14.11	14.70	14.76	18.28	21.79	20.51	22.42	18.79	13.75	14.17	23.21	20.15	4.33	0.31	4.41	14.73	18.33	19.45	18.02	19.73	19.63	18.88	12.69	15.39	23.21	15.94	
21	12.78	17.97	27.14	16.45	16.96	17.51	18.51	15.07	14.92	19.25	5.40	17.50	22.94	18.14	18.25	19.20	23.55	25.40	16.68	18.15	23.14	22.02	16.20	16.00	27.14	18.30	
22	19.95	15.32	14.53	14.17	15.53	15.65	15.01	13.83	14.26	14.06	17.84	25.43	18.59	17.04	14.64	19.38	22.93	22.05	24.30	26.17	18.09	19.17	20.84	23.22	26.17	18.42	
23	18.63	24.90	26.82	20.81	21.16	16.32	21.34	18.08	15.75	15.59	16.36	16.60	16.97	19.27	21.27	19.84	20.83	25.48	20.53	22.24	14.28	15.80	12.84	12.84	26.82	18.94	
24	14.81	17.65	15.36	13.56	15.29	13.69	12.40	12.09	12.30	14.13	17.92	13.58	14.56	17.40	20.58	19.18	20.19	22.99	24.38	18.70	19.51	21.83	20.56	24.54	24.54	17.38	
25	21.70	17.81	12.72	10.66	16.30	13.03	13.49	12.98	11.18	10.76	14.49	15.48	16.71	12.43	11.52	21.66	17.04	13.96	16.44	25.77	17.73	11.53	19.65	22.15	25.77	15.72	
26	20.13	9.61	6.06	10.22	11.93	13.02	17.37	28.15	19.74	15.18	10.22	0.98	9.04	25.10	16.90	16.76	18.91	13.32	14.44	15.84	13.44	12.77	15.38	24.92	28.15	14.98	
27	18.85	18.67	16.43	15.75	19.99	22.71	20.67	19.41	18.86	12.24	17.95	19.55	21.10	14.74	18.06	13.64	12.88	10.36	16.17	15.97	11.45	7.66	7.62	10.00	22.71	15.86	
28	9.55	6.27	5.90	5.95	5.41	5.12	5.13	6.89	9.92	19.07	20.64	20.92	16.77	18.45	16.95	19.69	14.27	12.88	9.35	9.23	9.10	10.59	11.41	13.95	20.92	11.81	
29	18.12	19.70	23.87	27.43	14.10	17.05	18.78	20.77	19.73	17.63	21.46	17.78	21.88	22.33	25.35	23.25	22.38	22.28	20.67	19.40	21.05	24.55	29.05	21.03	29.05	21.24	
30	19.87	23.80	3.83	1.12	0.99	0.77	0.49	0.54	0.68	0.71	0.97	15.00	25.21	19.77	19.85	15.46	24.69	16.31	21.58	15.82	8.35	11.72	13.11	16.83	25.21	11.56	
31	19.68	17.73	20.69	19.37	18.41	23.77	17.97	16.39	24.06	19.20	17.08	13.52	16.55	15.38	22.10	15.41	22.00	21.95	18.59	17.04	16.56	18.71	18.55	18.95	24.06	18.74	
																										29.05	9.57
Max	21.70	24.90	27.14	27.43	21.79	23.77	22.42	28.15	24.06	19.91	23.21	25.43	25.21	25.10	25.35	23.25	24.69	25.48	24.38	26.17	23.14	24.55	29.05	24.92			
Avg	9.76	9.79	9.08	8.21	8.49	9.37	9.42	9.63	9.00	9.43	9.46	10.06	10.77	10.53	10.81	10.92	11.66	10.81	10.99	11.16	9.89	9.95	10.19	10.77			
Rds	23	23	23	23	23	23	23	23	23	22	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23		

'I' - Invalid
'M' - Maintenance
'W' - Caution
'U' - User Data
'E' - Error
'F' - Frozen FIFO
'C' - Calibration
'O' - Out-of-Control
'D' - Process Down
'X' - Excess Emission