

Pacific Custom Materials
Kiln 3 - Report for Month of February 2011
SOx Emissions

Title V Permit Limit = 7.61 Pounds per Hour

Units: Pounds/Hour
Interval: 1-hour average

	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	Max	Avg
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.34	3.84	4.65	5.31	4.30	3.99	4.51	3.53	4.69	4.59	4.62	4.73	4.96	5.28	5.45	5.15	5.63	6.21	5.27	4.14	4.37	5.32	6.21	4.20
19	4.26	4.64	4.35	4.18	4.65	4.33	3.64	3.78	4.40	4.81	4.42	4.29	4.80	4.30	4.59	4.63	4.82	5.03	5.47	4.94	5.75	6.11	5.63	4.66	6.11	4.69
20	5.23	4.70	4.26	2.92	2.72	3.30	3.77	5.07	5.29	3.08	3.65	0.00	0.00	1.58	4.18	4.95	5.96	4.76	4.34	5.13	5.70	2.09	2.78	2.40	5.96	3.66
21	2.32	1.47	1.40	1.80	1.77	2.19	3.12	3.02	4.36	4.26	2.79	3.63	4.64	3.84	3.59	3.38	3.58	3.42	4.31	5.35	6.12 V	6.03	6.01	4.44	6.12	3.62
22	4.22	4.25	4.73	4.20 V	3.57	4.57	3.84	2.72	3.42 V	4.90	4.99	5.08 V	4.90	4.62	4.51	4.14	4.56	4.55	3.99	5.36	4.89	4.24	3.97 V	4.11	5.36	4.35
23	5.07	4.47	3.60	3.21	3.40	4.30	4.74	5.10	4.21	3.98	5.44	5.00	4.15	4.72	4.94	4.70	3.82	3.67	4.20	4.69 V	5.09 V	4.74 V	4.52 V	3.82 W	5.44	4.40
24	4.23 V	4.24 V	3.77	4.55	5.19 V	5.34 V	4.01 V	5.18 V	4.42 V	4.15 V	5.60 V	5.59 V	4.03 V	5.24 V	5.55 V	4.99 V	5.24	4.63 V	4.12 V	3.93	4.54	4.67 V	2.54 V	2.72 W	5.60	4.52
25	2.49 V	3.06 V	4.09 V	4.79 V	3.21 V	4.01 V	3.62 V	3.94 V	5.59 V	6.36 V	6.04 V	5.15 V	4.22 V	4.27 V	5.21 V	5.12 V	4.63 V	4.92 V	5.55 V	4.84 V	4.30 V	3.89 V	5.07 V	5.15 W	6.36	4.56
26	4.07 V	3.86 V	3.98 V	4.08	4.74	5.13	3.35	3.88	3.49	3.53	3.41	3.67	3.48	3.63	3.80	3.57	3.19	2.90	3.37	3.88	4.41	4.65	4.54	4.23	5.13	3.87
27	4.15	3.91	4.35	4.10	3.99	3.98	3.63	3.96	4.50	3.83	4.21	4.56	4.60	5.37	5.39	5.44	5.16	5.20	5.18	4.62	5.15	4.19	5.46	3.90	5.46	4.53
28	3.09	3.56	4.43	4.79	4.80	3.96	3.83	3.51	3.83	4.66	5.54	4.29	5.20	5.36	5.30	5.08	5.14	4.54	3.82	3.58	4.01	4.05	4.26	3.73	5.54	4.35
Max	5.23	4.70	4.73	4.79	5.19	5.34	4.74	5.18	5.59	6.36	6.04	5.59	5.20	5.37	5.55	5.44	5.96	5.20	5.63	6.21	6.12	6.11	6.01	5.32	6.36	4.67
Avg	1.40	1.36	1.40	1.52	1.53	1.66	1.49	1.58	1.71	1.68	1.81	1.64	1.59	1.70	1.86	1.83	1.84	1.74	1.78	1.88	1.97	1.74	1.76	1.59		

'I' - Invalid
'M' - Maintenance
'W' - Caution
'U' - User Data
'E' - Error
'F' - Frozen FIFO
'C' - Calibration
'O' - Out-of-Control
'D' - Process Down
'X' - Excess Emission

**Pacific Custom Materials
Kiln 3 - Report for Month of February 2011
SOx Emissions**

Title V Permit Limit = 300 Parts per Million by Volume

Units: Parts per Million by Volume

	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	Max	Avg
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	1.67	18.48	22.17	25.27	20.71	19.23	21.71	17.01	22.48	22.06	21.59	22.08	22.79	24.40	25.21	23.80	26.31	29.02	24.52	19.05	20.06	24.51	29.02	19.76
19	19.46	21.34	20.12	19.21	21.46	19.91	16.74	17.18	20.00	21.94	20.12	19.74	21.97	19.73	21.20	21.53	22.50	23.36	25.33	22.73	26.71	28.31	25.99	21.38	28.31	21.58
20	23.85	21.43	19.13	13.12	12.27	14.93	16.95	22.69	24.08	13.91	16.11	0.00	0.00	7.02	18.66	22.23	27.19	21.66	19.88	23.17	25.67	9.51	12.60	10.85	27.19	16.54
21	10.44	6.68	6.32	8.18	8.03	9.86	14.08	13.88	19.86	19.49	12.60	16.40	20.96	17.41	16.21	15.28	16.21	15.41	19.67	24.38	28.17	27.69	27.62	20.27	28.17	16.46
22	19.24	19.36	21.36	18.76	16.25	20.80	17.34	12.27	15.14	21.43	21.83	22.41	22.19	20.99	20.59	18.67	20.94	21.00	18.65	25.11	22.89	19.70	18.22	18.70	25.11	19.74
23	23.09	20.25	16.35	14.51	15.24	19.55	21.52	23.10	19.06	17.87	24.47	22.59	18.94	21.56	22.46	21.60	17.54	16.87	19.17	21.42	23.15	21.80	19.97	17.22	24.47	19.97
24	18.77	19.13	16.95	20.49	23.26	23.87	17.94	22.71	19.58	18.22	24.66	24.01	17.57	22.78	24.60	22.17	23.65	21.15	18.88	17.76	20.46	21.34	11.22	12.17	24.66	20.14
25	11.02	13.59	18.04	21.11	14.19	17.90	16.15	17.79	25.12	27.61	27.04	23.10	17.89	19.32	23.18	23.14	21.06	22.84	25.32	22.30	19.94	17.65	22.78	22.97	27.61	20.46
26	18.35	17.30	20.14	20.79	24.22	25.91	17.05	19.68	17.61	17.96	17.43	18.70	17.66	18.50	19.30	18.09	16.19	14.78	17.16	19.83	22.23	23.33	22.78	21.16	25.91	19.42
27	20.70	19.62	21.88	20.74	20.17	20.04	18.20	19.88	22.51	19.14	21.02	22.82	23.17	27.08	27.25	27.85	26.44	26.65	26.50	23.47	26.07	20.99	27.34	19.45	27.85	22.87
28	15.45	17.84	22.29	24.05	24.17	20.14	19.46	17.99	20.06	24.28	28.41	21.64	26.37	27.56	27.58	26.22	26.82	23.49	19.58	18.40	20.63	20.76	21.80	18.97	28.41	22.25
Max	23.85	21.43	22.29	24.05	24.22	25.91	21.52	23.10	25.12	27.61	28.41	24.01	26.37	27.56	27.58	27.85	27.19	26.65	26.50	29.02	28.17	28.31	27.62	24.51	29.02	7.83
Avg	6.44	6.31	6.58	7.12	7.19	7.79	7.00	7.37	8.03	7.82	8.43	7.62	7.44	8.00	8.71	8.61	8.71	8.25	8.44	8.84	9.30	8.22	8.23	7.42		

'I' - Invalid
'M' - Maintenance
'W' - Caution

'U' - User Data
'E' - Error
'F' - Frozen FIFO

'C' - Calibration
'O' - Out-of-Control

'D' - Process Down
'X' - Excess Emission

**Pacific Custom Materials
Kiln 4 - Report for Month of February 2011
SOx Emissions**

Title V Permit Limit = 8.28 Pounds per Hour

**Units: Pounds/Hour
Interval: 1-hour average**

	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	Max	Avg
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.30	4.12	4.58	5.50	5.34	3.37	5.12	5.34	5.49	4.79	4.83	5.88	6.55	5.06	6.16	5.28	4.24	6.96	3.61	3.58	6.96	4.00
19	3.36	3.69	4.39	4.81	4.86	4.70	5.17	3.51	4.74	5.74	4.74	4.86	5.39	3.73	4.99	5.22	3.97	5.47	3.57	5.95	2.68	3.05	4.21	5.50	5.95	4.51
20	4.69	5.48	4.27	4.85	2.09	2.30	4.31	2.41	2.82	3.66	4.09	4.22	1.50	5.40	3.53	3.91	5.25	5.14	4.65	4.54	5.28	2.12	3.47	3.95	5.48	3.91
21	1.74	2.56	2.97	0.93	0.73	0.76	1.00	1.62	3.82	3.96	3.20	2.81	2.22	2.01	2.71	3.35	2.13	5.68	3.00	4.08	2.13	3.67	3.65	3.61	5.68	2.68
22	4.97	4.94	3.71	4.04	3.93	1.33	1.24	1.32	4.23	5.09	3.51	4.04	4.96	3.75	4.06	4.51	3.22	4.21	4.07	4.51	3.95	3.99	3.39	3.36	5.09	3.76
23	4.05	5.54	3.48	3.34	3.46	4.50	3.85	3.69	2.94	6.10	4.53	4.69	4.29	3.65	4.49	4.68	4.48	4.85	3.13	3.81	4.11	3.89	3.42	3.30	6.10	4.10
24	2.14	4.74	5.12	3.73	4.09	3.72	2.23	3.79	4.40	3.70	4.11	1.28	2.54	1.40	1.01	1.22	1.48	1.69	3.23	3.25	2.78	3.12	2.48	1.83	5.12	2.88
25	2.48	2.15	1.27	1.43	1.46	1.47	2.39	5.32	3.07	2.51	3.02	3.46	3.98	5.14	1.84	2.13	3.41	4.91	4.09	3.66	2.92	3.59	2.65	4.49	5.32	3.04
26	4.67	3.39	4.39	6.37	2.87	4.03	3.99	4.44	2.32	2.06	4.05	3.82	3.61	2.77	3.04	2.80	2.71	2.47	3.85	4.74	3.76	3.50	3.66	3.56	6.37	3.62
27	3.00	5.22	4.65	4.08	3.16	2.90	4.56	3.50	2.88	3.32	2.41	2.55	3.93	5.12	2.64	2.51	2.45	3.78	4.91	1.17	0.98	1.49	2.84	3.45	5.22	3.23
28	1.18	2.92	3.07	3.39	3.16	3.44	3.49	3.84	5.34	4.37	4.10	4.94	4.55	3.58	3.86	5.00	3.57	3.55	2.84	3.35	3.09	1.45	1.71	1.73	5.34	3.40
Max	4.97	5.54	5.12	6.37	4.86	4.70	5.17	5.50	5.34	6.10	5.12	5.34	5.49	5.40	4.99	5.88	6.55	5.68	6.16	5.95	5.28	6.96	4.21	5.50	6.96	1.40
Avg	1.15	1.45	1.33	1.32	1.07	1.19	1.31	1.39	1.50	1.57	1.53	1.50	1.52	1.48	1.32	1.47	1.40	1.67	1.55	1.58	1.28	1.32	1.25	1.37		

'I' - Invalid
'M' - Maintenance
'W' - Caution
'U' - User Data
'E' - Error
'F' - Frozen FIFO
'C' - Calibration
'O' - Out-of-Control
'D' - Process Down
'X' - Excess Emission

Pacific Custom Materials
Kiln 4 - Report for Month of February 2011
SOx Emissions

Title V Permit Limit = 300 Parts per Million by Volume

Units: Parts per Million by Volume

	00:00	01:00	02:00	03:00	04:00	05:00	06:00	07:00	08:00	09:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00	Max	Avg	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
18	0.00	0.00	0.00	0.00	1.28	17.24	19.29	23.13	23.33	15.21	23.23	24.44	24.82	21.70	22.05	26.56	28.60	21.66	26.68	21.98	18.16	29.11	14.85	14.87	29.11	17.42	
19	13.86	15.41	18.28	20.12	20.20	20.07	22.11	15.20	20.93	26.36	21.68	22.26	24.40	16.82	22.63	23.68	17.74	23.69	15.27	25.24	11.33	12.88	17.85	23.35	26.36	19.64	
20	20.12	24.38	18.62	21.04	9.27	10.31	19.37	10.96	12.86	16.93	18.92	19.48	6.94	24.70	16.34	18.02	24.09	24.09	23.25	22.90	26.54	10.59	17.19	19.86	26.54	18.20	
21	8.84	12.98	15.09	4.78	3.77	3.95	5.21	8.36	20.16	20.93	16.91	15.01	11.78	10.71	14.26	16.58	10.33	25.92	12.91	17.63	9.55	16.32	16.30	16.58	25.92	13.12	
22	22.90	23.01	17.16	18.66	17.83	6.21	5.74	6.09	19.28	23.38	16.11	18.72	22.90	17.51	19.04	21.12	15.22	19.98	19.18	21.13	18.49	18.67	15.83	15.73	23.38	17.50	
23	18.90	25.87	16.24	15.51	16.17	20.85	17.81	16.92	13.53	28.22	20.88	21.68	19.77	17.01	20.89	21.82	20.86	22.96	14.70	17.87	19.24	18.18	15.78	15.22	28.22	19.04	
24	9.96	22.11	23.66	17.13	18.90	17.11	10.27	17.17	20.05	16.96	18.75	5.84	11.68	6.42	4.66	5.65	6.81	7.80	14.93	14.85	12.69	14.27	11.31	8.26	23.66	13.22	
25	11.39	9.84	5.89	6.53	6.67	6.72	10.81	24.16	14.12	11.73	14.11	16.24	18.67	23.78	8.62	10.02	16.06	23.22	19.60	17.51	14.10	17.06	12.60	21.16	24.16	14.19	
26	21.49	15.50	20.29	29.86	13.41	18.60	18.55	20.47	10.84	9.58	18.65	17.62	16.68	12.85	13.97	12.80	12.38	11.19	17.58	21.51	16.94	15.63	16.26	15.84	29.86	16.60	
27	13.32	23.65	21.08	18.53	14.41	13.34	20.76	16.06	13.34	15.39	11.28	12.02	18.32	24.13	12.57	11.94	11.67	18.02	23.13	5.54	4.65	6.98	13.31	16.19	24.13	14.98	
28	5.48	13.42	14.11	15.59	14.40	15.79	15.96	17.61	24.42	19.79	19.31	22.79	20.56	15.63	17.43	22.27	15.77	15.66	12.59	14.71	13.65	6.35	7.49	7.60	24.42	15.35	
																										29.86	6.40
Max	22.90	25.87	23.66	29.86	20.20	20.85	22.11	24.16	24.42	28.22	23.23	24.44	24.82	24.70	22.63	26.56	28.60	25.92	26.68	25.24	26.54	29.11	17.85	23.35			
Avg	5.22	6.65	6.09	5.99	4.87	5.36	5.92	6.29	6.89	7.30	7.14	7.00	7.02	6.83	6.16	6.80	6.41	7.65	7.14	7.17	5.90	5.93	5.67	6.24			

'I' - Invalid
'M' - Maintenance
'W' - Caution
'U' - User Data
'E' - Error
'F' - Frozen FIFO
'C' - Calibration
'O' - Out-of-Control
'D' - Process Down
'X' - Excess Emission